

Author Index of Volumes 179-182

- Abe, T., 1291
 Adachi, H., 864
 Ahlgren, M., 921
 Aihara, Jr., T., 256
 Akinaga, M., 1051
 Akiyama, E., 937, 1081, 1091, 1114, 1119, 1123, 1128, 1133
 Allahverdi, M., 158
 Allia, P., 361, 572
 Amano, E., 978
 Amiya, K., 692
 Anazawa, K., 479, 487
 Andersen, S. J., 665
 Antonione, C., 572
 Aoki, K., 181, 198, 256, 371, 390, 1263, 1317
 Arakawa, S., 871
 Arnberg, L., 1243
 Arshed, M., 376
 Asahi, N., 819, 841
 Asai, J., 738
 Asami, K., 1081, 1091, 1109, 1114, 1119, 1123, 1128, 1133, 1137, 1141
 Ashfaq, A., 376
 Atou, T., 220

 Bagović, D., 1227
 Bai, H. Y., 229, 234
 Bakker, H., 453, 1207
 Bakonyi, I., 531, 567
 Bakos, É., 567
 Baram, J., 1195, 1326
 Baricco, M., 361, 371, 572, 600
 Baró, M. D., 303, 1285
 Bartók, M., 1095
 Batawi, E., 645
 Battezzati, L., 371, 600
 Beeli, C., 316
 Belin, E., 717, 730
 Benameur, T., 1145
 Berner, A., 1249
 Bizen, Y., 871
 Bormann, R., 31
 Böttiger, J., 582
 Brauer, S., 396
 Brower, Jr., W. E., 1431

 Cabañas-Moreno, J. G., 1202, 1258
 Calka, A., 1222
 Campillo, B., 609
 Cantor, B., 72, 416, 545
 Chang, I. T. H., 416, 545
 Chao, Y., 982
 Chatani, K., 1277
 Chattopadhyay, K., 163, 198
 Chechenin, N. G., 582

 Chen, H. C., 261
 Chen, S., 346
 Chen, X.-F., 412
 Cheng, L. Z., 880
 Chiang, T. H., 860, 950, 954, 958
 Cho, Y., 1330
 Choi, P., 408, 1004
 Choi, S. D., 1010
 Choi, S. S., 1035
 Choi, Y. S., 1035
 Chu, M. G., 669
 Chun, B. S., 309
 Clavaguera, N., 288, 526
 Clavaguera-Mora, M. T., 288, 526
 Cocco, G., 1085
 Conti, L., 1085
 Cziráki, Á., 531

 Dabek, J., 1099
 Danielewski, M., 1099
 Dankhazi, Z., 717
 Danzig, A., 473
 Das, S. K., 1415
 Davies, H. A., 628
 Davis, L. A., 1415
 De Jong, M., 341
 Diao, Z., 1047
 Diego, J. A., 526
 Dietz, G., 1055
 Dignard-Bailey, L., 516
 Ding, B. Z., 382, 386, 563
 Dobson, P. J., 545
 Dotera, T., 758
 Drew, R. A. L., 158
 Dubois, J.-M., 122
 Duhaj, P., 557
 Duine, P. A., 270
 Durand, R., 1145
 Dussault, D., 516

 Ebidzuka, K., 1091
 Eckert, D., 1016
 Edagawa, K., 811, 833
 Egami, T., 17
 El-Mahallawy, N., 587
 Endo, H., 351
 Er, H., 982
 Erukhimovitch, V., 1195

 Fadeeva, V. I., 506
 Fecht, H.-J., 77, 491
 Feld, J., 916
 Fischer, H. E., 396
 Fish, G., 1415
 Fogarassy, B., 531
 Foley, J. C., 205
 Forwald, K., 1243

 Frank, W., 36
 Fredriksson, H., 587, 1320
 Froes, F. H., 108
 Fujii, S., 1109
 Fujikura, M., 1346, 1351
 Fujimori, H., 892, 897, 962, 1025, 1030
 Fujita, A., 950, 954
 Fujiwara, T., 118, 722, 726
 Fukamichi, K., 801, 860, 888, 950, 954, 958
 Fukuhara, M., 884
 Fukunaga, H., 884
 Fukunaga, T., 224, 464, 828, 1047, 1277
 Fukuoka, K., 220
 Furukawa, S., 892, 1025
 Furuya, Y., 1076, 1317

 Gaspar, T. A., 645
 Gebel, B., 1016
 Geng, Y., 966
 Gereben, O., 433
 Geröcs, I., 531
 Gill, S. C., 327
 Golub, S. V., 1431
 Goswami, R., 163
 Goto, T., 801, 860, 958
 Grant, P. S., 72
 Greer, A. L., 41, 243, 600, 1335
 Gremaud, M., 1392
 Groma, I., 531
 Grushko, B., 766
 Guo, J. Q., 1397
 Guo, Y. X., 665
 Guofa, M., 688
 Guyon, F., 1305

 Habazaki, H., 1081, 1091, 1099, 1109, 1114, 1119, 1123, 1128, 1133, 1137
 Hackman, L. E., 645
 Haddad-Sabzevar, M., 1320
 Handstein, A., 1016
 Harada, T., 1232
 Harakawa, Y., 1161, 1383
 Hase, H., 1378
 Hasegawa, H., 320
 Hashimoto, H., 1212, 1291
 Hashimoto, K., 27, 785, 1081, 1091, 1099, 1109, 1114, 1119, 1123, 1128, 1133, 1137, 1141
 Hattori, Y., 801
 Häussler, P., 916, 1055
 Hayakawa, Y., 1020
 He, K., 982
 He, K.-Y., 880, 1405, 1419

- Herlach, D. M., 147, 316, 766, 1055, 1150
 Herzer, G., 876
 Hewak, D. W., 303
 Higashi, K., 625, 712, 1064, 1068
 Hihara, T., 1184
 Hiraga, K., 750, 815
 Hirosawa, S., 868
 Hirose, F., 1359
 Hirotzu, Y., 97, 479, 487, 495
 Hirscher, M., 1035
 Hizubayashi, H., 275
 Høier, R., 665
 Holla, H. A., 1431
 Holland-Moritz, D., 766
 Honma, K., 334, 1072
 Horikiri, H., 112, 511, 702, 707
 Horio, Y., 596, 649
 Hörner, A., 36
 Hu, B. P., 1016
 Hu, Z. Q., 382, 386, 563
 Humphrey, F. B., 66
 Ichikawa, K., 1109
 Iiyori, H., 448
 Ikeda, S., 992
 Ikeda, T., 897
 Im, B. M., 1119
 Imura, T., 1359
 Ino, H., 408, 762, 794, 864, 937, 1004
 Inokoshi, Y., 1030
 Inoue, A., 57, 112, 127, 210, 334, 346, 371, 444, 487, 495, 501, 511, 577, 592, 596, 632, 649, 654, 659, 692, 697, 702, 707, 734, 750, 781, 798, 805, 845, 850, 921, 1064, 1068, 1072, 1161, 1174, 1179, 1300, 1340, 1383, 1387, 1397, 1423
 Ishida, A., 911, 1043
 Ishii, K., 416, 1104
 Ishikawa, T., 730
 Ito, M., 659
 Itoh, H., 422
 Itoh, M., 911, 1043
 Itsukaichi, T., 1202
 Ivanov, E., 1184, 1268
 Iwasaki, H., 712
 Jang, P. W., 309
 Jang, S. C., 997
 Janičkovič, D., 557
 Janik-Czachor, M., 142
 Jha, A., 303, 771
 Jiang, H. G., 215, 382
 Jiang, Z., 249
 Johansen, I., 605
 Johnson, W. L., 173
 Jones, H., 1, 628, 681
 Jordery, S., 303
 Joshi, S. R., 1427
 Juárez-Islas, J. A., 609, 614, 823, 837
 Kaida, M., 1060
 Kakehashi, H., 884
 Kakehashi, Y., 62, 856, 946
 Kamei, K., 906
 Kamiyama, T., 483
 Kanekiyo, H., 868
 Kaneko, J., 1410
 Kaneko, K., 224
 Kaneko, T., 351
 Kang, I. K., 552
 Kang, J., 1040
 Kang, S. S., 122
 Kang, T., 552
 Kanomata, T., 351
 Karpe, N., 582
 Kataoka, N., 801, 860, 888, 950, 962
 Kato, A., 112, 702, 707
 Katona, T., 1095
 Katsman, A., 1249
 Kawaguchi, H., 884, 1253
 Kawamura, Y., 112, 511, 654, 1174
 Kawanishi, M., 632
 Kawashima, A., 1081, 1091, 1109, 1114, 1119, 1123, 1128, 1133, 1137
 Kikukawa, T., 355
 Kim, D. H., 637
 Kim, H.-G., 252
 Kim, I. J., 888
 Kim, K. J., 1272
 Kim, K. S., 941
 Kim, K. Y., 552
 Kim, M. C., 973, 1237
 Kim, N. J., 637, 1169
 Kim, S.-H., 469
 Kim, S. B., 973
 Kim, S. G., 1156
 Kim, W. T., 309, 941
 Kim, Y. S., 1237
 Kim, Y. Y., 941
 Kimura, H., 351, 659, 1076
 Kimura, H. M., 845
 Kimura, K., 762, 794, 864
 Kirchmayr, H. R., 1016
 Kiss, L. F., 567
 Kita, E., 937
 Kita, K., 592, 1397
 Klinger, L., 1249
 Klose, G., 77
 Knobel, M., 361
 Knoll, S., 746
 Kobayashi, K. F., 1165, 1253
 Koch, C. C., 1330
 Koga, T., 153
 Kohno, M., 1104
 Kojima, A., 511
 Komatsu, H., 958
 Komori, M., 1123
 Konno, T. J., 297, 426
 Kosanović, C., 1227
 Koshikawa, N., 811
 Köster, U., 777
 Kouba, R., 1055
 Koyano, T., 224, 1277
 Krog, J. P., 582
 Kronmüller, H., 36, 1035
 Kuboki, M., 351
 Kuji, T., 1232
 Kunitomi, N., 293, 1296
 Kurz, W., 46, 1150, 1392
 Ladiwala, G. D., 1427
 Lai, S. K., 261
 Lai, Z., 982
 Lai, Z.-H., 1419
 Lengsfeld, P., 614
 Latuch, J., 506
 Lauinger, Ch., 916
 Lavernia, E. J., 609, 614
 Lee, K. S., 973
 Lee, M. H., 545
 Lee, S. H., 941
 Lee, W. Y., 1010
 Leu, M. S., 997
 Levin, L., 1249
 Li, J. Z., 1040
 Li, Q., 249
 Li, Y., 628, 681
 Li, Z. Q., 1040
 Liebertz, H., 777
 Lim, W. Y., 941
 Liu, B. X., 189
 Liu, H. Y., 628
 Liu, J., 1001
 Liu, W., 777
 Liu, X. D., 386, 563, 1405
 López Hirata, V. M., 1258
 Lu, K., 382, 386, 536, 541, 563
 Lu, Z. C., 1001, 1040
 Lück, R., 316, 536, 746
 Mabuchi, M., 625
 Maehara, Y., 906
 Maher, P. P., 72
 Majumdar, A., 619
 Makhlof, S. A., 483, 1184
 Maki, T., 841
 Makino, A., 127, 487, 495, 501, 511, 1020
 Makino, Y., 238
 Manov, V., 91, 1249
 Martínez Suárez, F., 1258
 Martinez, L., 823, 837
 Masuda-Jindo, K., 833
 Masumoto, T., 8, 112, 127, 181, 210, 252, 256, 334, 346, 351, 371, 390, 444, 487, 495, 501, 511, 577, 592, 596, 632, 649, 654, 659, 692, 697, 702, 707, 734, 738, 750, 781, 798, 805, 845, 850, 892, 897, 1025, 1030, 1064, 1068, 1072, 1076, 1161, 1174, 1179, 1263, 1300, 1317, 1340, 1383, 1387, 1397, 1423
 Matsubara, E., 444, 860
 Matsuda, H., 279
 Matsuda, T., 132, 730, 785, 926, 1047

- Matsuki, H., 1363, 1366
 Matsumoto, F., 892, 1025, 1030
 Matsumoto, M., 422, 1317
 Matsumoto, S., 841
 Matsumura, A., 742, 819
 Matsunaga, A., 958
 Matsuura, M., 464, 469
 Matsuzaki, T., 1363
 Mattern, N., 473
 Matyja, H., 506
 Mat'ko, I., 557
 Mayerhofer, O., 1016
 Memezawa, A., 390, 1263
 Millet, P., 1222
 Minakawa, S., 1366
 Minami, K., 992
 Mitani, S., 897
 Miura, H., 1281
 Miyazaki, T., 1410
 Miyoshi, Y., 730
 Mizoguchi, T., 320
 Mizubayashi, H., 422, 1060
 Mizuno, M., 153
 Mizutani, U., 132, 224, 464, 730, 785, 790, 828, 926, 1047, 1277
 Mogi, H., 1374
 Mohri, K., 1369
 Molnár, A., 1095
 Mori, H., 366, 1359
 Mori, K., 181
 Mori, T., 712, 1081
 Morishita, K., 220
 Mrowec, S., 1099
 Muddle, B. C., 619
 Mukai, T., 1064, 1068
 Mulas, G., 1085
 Müller, K. H., 1016
 Müller, M., 473
 Murakami, K., 1366
 Murata, H., 1109
 Myung, W.-N., 252, 371
- Nagahama, H., 592
 Nagahora, J., 632
 Nagaoka, K., 1330
 Nagarajan, R., 168, 198
 Nagumo, M., 153
 Naka, M., 366
 Nakagawa, K., 902
 Nakajima, H., 334, 738
 Nakamura, K., 320
 Nakamura, M., 487
 Nakamura, Y., 401, 790
 Nakazato, K., 654
 Narita, K., 969
 Narita, Y., 932
 Nash, P., 1169
 Nasu, T., 1330
 Nie, J. F., 619
 Niikura, A., 1387
 Niizeki, K., 742
 Nishiyama, N., 210, 334, 692, 697, 1387
- Nittono, O., 355, 401
 Noguchi, K., 337
 Noguchi, S., 819
 Noh, T. H., 552
 Nonaka, K., 334, 738
 Nordström, A., 921
 Nozaki, T., 1104
- Ochiai, T., 649
 Ogasawara, H., 884
 Ogawa, H., 1281
 Ogino, Y., 220
 Oguchi, M., 697, 1161, 1383
 Ohashi, N., 860
 Ohba, K., 210
 Ohkubo, T., 479
 Ohnaka, I., 1190
 Ohnuma, S., 892, 897, 1025
 Ohta, Y., 884
 Ohtera, K., 592, 1064, 1068, 1397
 Okabe, S., 1104
 Okada, T., 366
 Okamoto, T., 932
 Okawa, A., 1355
 Okazaki, Y., 1374
 Okuda, S., 422, 1060
 Okumra, H., 781
 Oleszak, D., 1217
 Omuro, K., 1281
 Otero, A., 303
 Otsuka, S., 1060
- Park, C. G., 1237
 Park, H., 637
 Park, W. J., 637
 Park, Y. H., 1212, 1291
 Park, Y. W., 1035
 Payne, D. N., 303
 Peker, A., 173
 Perepezko, J. H., 52, 176, 205
 Perez, R., 609, 614, 823, 837
 Perrot, A., 122
 Peters, J. A., 645
 Plantz, D. H., 176
 Popel, P., 91
 Poulain, M., 303
 Prangnell, P. B., 327
 Prasad, A., 186
 Pratap, A., 186, 1427
 Predel, B., 536
 Pusztai, L., 433
 Pyo, S. G., 1169
- Qian, C., 966
 Qingchun, L., 688
 Quan, B., 969
 Quan, M. X., 215
 Quintana, P., 978
- Ranganathan, S., 168, 754
 Rapp, Ö., 921
 Rekveldt, M. Th., 341
 Rimmelspacher, J., 916
 Riontino, G., 323
 Rivlin, Z., 1326
- Roven, H. J., 605
 Rubin, J. B., 137
 Rubshtein, A., 91
 Rudkowska, G., 158
 Rudkowski, P., 158
 Ryder, P. L., 641
- Sadoc, A., 717
 Saida, J., 577
 Saitoh, K., 805, 937
 Saji, S., 676
 Sakaguchi, Y., 1232
 Saksena, M. P., 186, 1427
 Sakurai, M., 469, 1330
 Sasamori, K., 845
 Sasmori, K., 1174
 Sato, H., 911, 926, 1043
 Sato, M., 798
 Sato, T., 1346, 1351, 1366
 Sato, Y., 1310
 Satoh, K., 750
 Satoh, M., 801
 Sawa, T., 902
 Sawai, T., 841
 Saxena, N. S., 186, 1427
 Scano, G., 1085
 Scharwaechter, P., 36
 Schiffrini, L., 1085
 Schulz, R., 516
 Schumacher, P., 600, 1335
 Schwarz, R. B., 137, 176
 Seeger, C., 641
 Shamim, A., 376
 Shen, B. G., 1001, 1040
 Shen, J., 249
 Shen, T. D., 215
 Shibata, K., 1272
 Shibata, T., 632, 1397
 Shibuya, K., 1435
 Shih, W. C., 600
 Shima, T., 897, 962
 Shimada, Y., 888, 958, 1030
 Shin, S. H., 1156
 Shinbo, I., 738
 Shindo, D., 1317
 Shingu, P. H., 1217
 Shinohara, A. H., 444
 Shinohara, T., 798, 1109
 Shiozawa, K., 334
 Shirai, K., 926
 Shoji, R., 1378
 Siddiqi, S. A., 376
 Sietsma, J., 86, 270, 341, 438
 Sinclair, R., 297, 426
 Singh, A., 754
 Skinner, D. J., 205
 Somekh, R. E., 243
 Sommer, F., 283, 1150
 Song, G., 249
 Song, Q. H., 382
 Songyan, Z., 688
 Soufiane, A., 303
 Spaepen, F., 81, 265
 Stephenson, G. B., 396
 Stiller, C., 473
 Ström-Olsen, J. O., 158, 396

- Sturm, A., 458
 Su, S., 609
 Sugamata, M., 1410
 Suganuma, T., 112
 Sugawara, A., 355
 Sugawara, E., 1030
 Sugihara, H., 742
 Sugiura, H., 132
 Sugiura, Y., 132
 Sugiyama, K., 444
 Sui, M.-L., 541, 880, 1405, 1419
 Sumiyama, K., 483, 1184, 1268, 1272
 Sun, W., 815
 Sung, J. K., 973, 1237
 Suñol, J. J., 1285
 Suriñach, S., 303, 1285
 Suryanarayana, C., 108
 Sutton, M., 396
 Suzuki, A., 1363
 Suzuki, K., 127, 469, 483, 501, 1184, 1268, 1272, 1330
 Suzuki, T., 954, 1156
 Švec, P., 557
 Syono, Y., 220

 Tada, T., 1133
 Tadayyon, S. M., 337
 Taha, M., 587
 Takagi, M., 1359
 Takahara, Y., 279
 Takahiro, K., 1099
 Takaki, H., 932
 Takamura, K. I., 1137
 Takayama, S., 448
 Takeda, H., 888
 Takemoto, R., 275
 Takeuchi, S., 811, 833
 Takeuchi, T., 224, 828
 Tamura, A., 712
 Tamura, R., 794
 Tanaka, H., 856, 946
 Tanaka, K., 337, 932
 Tanaka, M., 750, 805
 Tanaka, N., 320
 Tanaka, T., 785
 Tanaka, Y., 1355
 Tanimori, S., 911, 1043
 Tanimura, S., 712, 1064, 1068
 Tarnöczy, T., 531
 Taylor, E. R., 303
 Tei-Ohkawa, T., 833
 Thijsse, B. J., 438
 Thoma, D. J., 176
 Tiberto, P., 361, 572
 Tomida, T., 521
 Tomioka, H., 1340

 Tonejc, A. M., 1227
 Toneje, A., 1227
 Tong, H. Y., 382
 Tonkovics, Zs., 531
 Tóth-Kádár, E., 531
 Trambly de Laissardiére, G., 118, 722
 Trivedi, R., 46
 Trudeau, M. L., 516
 Tsai, A., 738
 Tsai, A. P., 501, 750, 781, 805, 1141, 1387
 Tsai, C. L., 986
 Tseng, M.-K., 412
 Tsuda, K., 750, 805
 Tsujikawa, S., 408

 Uchiyama, T., 1369
 Ueda, Y., 992
 Uehara, M., 868
 Uenishi, K., 1165
 Ueno, S., 1340
 Umeda, T., 1156
 Umemoto, M., 1202
 Uoya, A., 1064, 1068
 Urban, K., 766
 Utsumi, M., 224
 Uzawa, M., 1179

 Valenzuela, R., 978
 Van den Beukel, A., 86, 341
 Van Neste, A., 516
 Varga, L. K., 567
 Vereshagin, A., 91
 Vinai, F., 361, 572
 Vitta, S., 243
 Voronel, A., 91

 Wagner, A. V., 265
 Wakamiya, M., 1378
 Wakoh, K., 483
 Wang, J.-Q., 412
 Wang, K. Y., 215
 Wang, W. H., 229, 234
 Wang, W. K., 229, 234, 997
 Wang, X.-M., 390
 Waseda, A., 762, 794
 Waseda, Y., 444, 860
 Watanabe, M., 659, 845
 Watanabe, R., 1212, 1291
 Watanabe, T., 193
 Waterloo, G., 665
 Wei, B., 1150
 Wei, W. D., 215
 Weissmüller, J., 102
 Wendhausen, P. A. P., 1016
 Wiedenmann, A., 458
 Wilkes, D. M. J., 681

 Wollenberger, H., 458
 Wonnell, S. K., 270

 Xianyu, Z., 412, 1001, 1040
 Xiong, L. Y., 1405

 Yamada, M., 932
 Yamada, T., 1346, 1351
 Yamada, Y., 132, 730, 785, 828, 926, 1047
 Yamagata, H., 1300
 Yamaguchi, H., 1383
 Yamaguchi, K., 1030
 Yamaguchi, S., 1099
 Yamamoto, S., 118, 726
 Yamamoto, Y., 495
 Yamanaka, J., 401
 Yamane, T., 676
 Yamasaki, J., 1369
 Yamasaki, T., 220
 Yamate, M., 1310
 Yamauchi, H., 1184, 1268
 Yamauchi, I., 1190
 Yamauchi, K., 469
 Yamauchi, T., 785
 Yanada, T., 1366
 Yanai, K., 1268
 Yang, C. J., 1010
 Yang, H., 1207
 Yanagitani, A., 1355
 Yano, K., 937
 Yasuda, H., 676
 Yavari, A. R., 20, 1305, 1415
 Yavari, R., 1145
 Ye, C. T., 1040
 Yokoyama, Y., 734, 798, 850
 Yoshida, H., 1369
 Yoshida, Y., 1369
 Yoshihara, A., 958
 Yoshizawa, Y., 469, 871
 Yu, M., 856, 946
 Yu, S. C., 309, 941
 Yukumoto, M., 1104

 Zaluska, A., 396
 Zanada, A., 323
 Zappel, B., 283
 Zhang, B.-J., 412
 Zhang, B. P., 1114
 Zhang, D., 966
 Zhang, S., 966
 Zhang, T., 210, 444, 1423
 Zhang, Z. J., 189
 Zhi, J., 880
 Zhou, F., 1419
 Zhou, G.-F., 453
 Zhu, J., 1405
 Zryd, A., 1392
 Zuling, J., 688

Subject Index of Volumes 179-182

- Abundant energy supply
metastable metals for "green" materials for global atmosphere conservation and abundant energy supply, 27
- A.C. magnetic losses
a study of flash-annealed FeMnSiB amorphous cores, 969
- Activation energy
crystallization kinetics and specific heat of $\text{Cu}_{60}\text{Zr}_{40}$ glassy alloy, 1427
deformation characteristics of a superplastic aluminium alloy produced from amorphous powders, 1064
- Activation energy spectrum
reversible structural relaxation in Fe-B-Si amorphous alloys, 279
- Aging
decomposition of the supersaturated solid solution in a rapidly solidified hypereutectic Al-Cu alloy, 327
the aging characteristics of rapidly solidified high lithium Al-Li-Mg alloys, 681
- Al alloys
high mechanical strength and strengthening mechanism of aluminium alloys with an ultrafine grain structure, 592
- Al base alloy
formation of coexistent icosahedral and f.c.c.-Al phases in rapidly solidified Al-Ce-M-Si (M = transition metal) alloys and their mechanical strengths, 659
high mechanical strengths of rapidly solidified $\text{Al}_{93}\text{Mn}_5\text{Ce}_1\text{M}_1$ (M = transition metal) alloys containing nanoscale quasi-crystalline phase as a main component, 845
- Al base amorphous alloy
functionally graded Al-Zr-based amorphous alloys, 1300
morphology and properties of ultrafine Ni-Fe and Ni-Co alloy particles prepared by leaching amorphous Al-Ni-Fe-Ce and Al-Ni-Co-Ce alloys, 1179
the effect of Cu addition on the structure and mechanical properties of Al-Ni-M (M = Ce or Nd) amorphous alloys containing nanoscale f.c.c.-Al particles, 654
- Al_2O_3
comparison of the transformation sequence from $\gamma\text{-AlOOH}$ (boehmite) to $\alpha\text{-Al}_2\text{O}_3$ (corundum) induced by heating and by ball milling, 1227
- $\text{Al}_{56}\text{Cu}_{20}\text{Fe}_{15}$ alloy
quasicrystallization characteristics of mechanically alloyed $\text{Al}_{65}\text{Cu}_{20}\text{Fe}_{15}$ powder, 841
- $\text{Al}_{75}\text{Cu}_{15}\text{V}_{10}$ alloy
the amorphous to icosahedral phase transformation in mechanically alloyed $\text{Al}_{75}\text{Cu}_{15}\text{V}_{10}$ powder, 819
- Al-25at.%Ti mixed powder
effects of the atmosphere on the mechanical alloying process of Al-25at.%Ti mixed powder, 676
- Al-based alloys
development of high temperature dispersion strengthening in rapidly quenched Al-Ti-X alloys, 619
distribution of elements in the surface layer of amorphous Al-La-Ni ribbons, 1249
effect of melt temperature on the electrical resistivity and crystallization temperature of $\text{Al}_{91}\text{La}_5\text{Ni}_4$ and $\text{Al}_{91}\text{Ce}_5\text{Ni}_4$ amorphous alloys, 91
new Al-based amorphous alloys with high mechanical strength in the Al-Ni-M and Al-Co-M (M = Mn, Fe, Co, Ni) systems, 596
- Al-based amorphous alloys
recent progress in amorphous metallic materials in Japan, 8
- Al-based amorphous metals
electronic structure and electron transport properties of Al-Cu-Y and Mg-Cu-Y amorphous alloys, 132
- Al-based amorphous phase
formation and mechanical properties of amorphous Al-Ni-Nd alloys, 649
- Al-casting
enhanced heterogeneous nucleation of $\alpha\text{-Al}$ in amorphous aluminium alloys, 1335
- Al-Co alloy
convergent-beam electron diffraction and electron microscope study on decagonal quasicrystals of Al-Cu-Co and Al-Co alloys, 805
- Al-Cr
amorphization of Al-Cr atomized powder by mechanical grinding, 1253
- Al-Cr-RE alloy
structure and microhardness of rapidly solidified Al-Cr-RE (RE = La-rich misch metal) alloy, 688
- Al-Cu
decomposition of the supersaturated solid solution in a rapidly solidified hypereutectic Al-Cu alloy, 327
- Al-Cu-Co alloy
convergent-beam electron diffraction and electron microscope study on decagonal quasicrystals of Al-Cu-Co and Al-Co alloys, 805
- Al-Cu-Fe
free energy analysis for the phase transition of quasi-crystals and phase diagram of the Al-Cu-Fe system, 762
- Al-Cu-Fe alloys
plastic deformation of quasi-crystalline and crystalline phases in Al-Cu-Fe alloys, 777
- Al-Fe alloys
a precipitation study of two rapidly solidified Al-Fe alloys, 323
- Al-Li-Mg alloys
the aging characteristics of rapidly solidified high lithium Al-Li-Mg alloys, 681
- Al-LTM-LTM
new Al-based amorphous alloys with high mechanical strength in the Al-Ni-M and Al-Co-M (M = Mn, Fe, Co, Ni) systems, 596
- Al-Mg alloy matrix composites
thermal stability in a superplastic $\text{Si}_3\text{N}_{4(p)}/\text{Al-Mg}$ composite, 625
- Al-Mo alloys
new amorphous alloys resistant to high temperature corrosion, 1099
- Al-Ni-Ti system
a new phase in Al-Ni-Ti alloys made from mechanically alloyed powders, 1202

- Al-Pd-Mg alloy
icosahedral and decagonal quasicrystals in the Al-Pd-Mg system, 811
- Al-Pd-Mn
self-diffusion of manganese in Al-Pd-Mn icosahedral quasicrystals, 738
- Al-Pd-Mn alloy
electrochemical behavior of a quasi-crystalline Al-Pd-Mn alloy in a chloride-containing solution, 1141
- Al-Pd-Mn alloys
decagonal quasicrystal in rapidly solidified Al-Pd-Mn alloys, 815
- Al-Pd-Mn-B
nuclear magnetic resonance study of new strong magnetism in quasicrystalline Al-Pd-Mn-B alloys, 798
- Al-Pd-Mn-B system
magnetic properties of Al-Pd-Mn-B quasi-crystals with high magnetization, 734
- Al-Ti
microstructure and solidification analysis of melt-spun Al-Ti and Al-Ti-B alloys, 669
- Al-Ti alloy
new metastable phases in rapidly solidified Al-Zr and Al-Ti alloys with high solute contents, 1397
- Al-Ti-B
microstructure and solidification analysis of melt-spun Al-Ti and Al-Ti-B alloys, 669
- Al-Zr alloy
new metastable phases in rapidly solidified Al-Zr and Al-Ti alloys with high solute contents, 1397
- Alloys
crystallization of Fe-Si-B-Ga-Nb amorphous alloy, 521
- AlPdMn
difference between the magnetic properties of icosahedral and decagonal phases of AlPdMn quasicrystals, 801
- 2024 Aluminium alloy
formation of metastable phases in a spray deposited 2024 aluminium alloy, 249
- Aluminium alloy
solution thermodynamic behaviour of quasicrystalline-structure-forming alloy systems, 771
- Aluminium alloys
crystallization of amorphous $\text{Al}_{85}\text{Y}_{10}\text{Ni}_5$ and $\text{Al}_{85}\text{Y}_5\text{Ni}_{10}$ alloys, 506
microstructural and mechanical evaluations of spray-deposited 7XXX Al-alloys after conventional consolidation, 614
rational approximants to the decagonal phase in Al-Mn-M ($\text{M} \equiv \text{Ni}, \text{Cu}, \text{Zn}$) systems, 754
- Aluminum alloys
fabrication of bulk amorphous alloy by rolling of mechanically alloyed Al-Cr powders, 1165
- Aluminum base alloy
solid solution of Cu in (Al-Cu)- SiC_p metal matrix composites processed by spray atomization and codeposition, 609
- Aluminum-copper-vanadium
approaches to an icosahedral glass model for the icosahedral phase formed by transition from the amorphous state, 750
- Aluminum-nickel-mischmetal
consolidation mechanism of aluminum-based amorphous alloy powders during warm extrusion, 1174
- Aluminum-silicon-manganese
approaches to an icosahedral glass model for the icosahedral phase formed by transition from the amorphous state, 750
- Ambient temperature
effects of ambient temperature and acceleration on various mechanical alloying products: Mg-Al-Zn quasicrystals, Ni-Zr amorphous alloys and amorphous Se, 224
- Ammann bars
Ammann bars and phason flips in quasicrystals, 746
- Amorphization
amorphization in iron-carbon systems with transition metals by mechanical alloying, 1281
amorphization of silicon and germanium by mechanical grinding: effect of atmosphere and milling conditions, 1222
amorphization of Ti-Zr powders by mechanical alloying in H_2 , N_2 and O_2 atmospheres, 1263
differential thermal analysis of hydrogen-induced amorphization in C15 Laves compounds RCO_2 , 181
interfacial reactions in Ni/amorphous-Si multilayers, 229
mechanical alloying in the Co-Sn system, 1258
preparation of Fe-Ni-based metal-metalloid amorphous powders by mechanical alloying, 1285
- Amorphous
a fluorescence X-ray absorption fine structure study of the effect of small amounts of additives on the formation of the nanocrystalline phase from metallic glass, 469
amorphization of Al-Cr atomized powder by mechanical grinding, 1253
composite anisotropy multilayers based on amorphous CoNbZr/SiO_2 , 1030
crystallization kinetics of an amorphous ferromagnet $\text{Fe}_{77.5}\text{B}_{15}\text{Si}_{7.5}$, 293
crystallization of Fe-Si-B-Ga-Nb amorphous alloy, 521
Curie temperatures for amorphous $\text{TM}_{100-X}\text{Gd}_X$ ($\text{TM} \equiv \text{Fe}, \text{Co}$; $40 \leq X \leq 60$) alloys, 937
degree of amorphization of mechanically alloyed $\text{Fe}_{77.5}\text{B}_{15}\text{Si}_{7.5}$ powders determined by magnetic measurements, 1296
fabrication of bulk amorphous alloy by rolling of mechanically alloyed Al-Cr powders, 1165
formation of metastable phases by plating method, 193
heat treatment of rapidly solidified $\text{Fe}_{63}\text{Cr}_{18}\text{Ti}_4\text{B}_{15}$, 416
improvement of magnetic properties by addition of tin to amorphous Fe-Si-B alloys with high iron contents, 1351
kinetics of the crystallization of amorphous Ti-Ni and Ti-Ni-Si alloys, 641
microstructural studies of Nd-Fe-B powders produced by gas atomization, 1232
new Al-based amorphous alloys with high mechanical strength in the Al-Ni-M and Al-Co-M ($\text{M} \equiv \text{Mn}, \text{Fe}, \text{Co}, \text{Ni}$) systems, 596
on the nature of the remaining matrix after nanocrystallization of $\text{Fe}_{77}\text{Si}_{14}\text{B}_9$ with Cu and Nb addition, 1415
structural and magnetic properties of nanocrystalline Fe-Si-B alloys produced by mechanical crystallization, 516
the corrosion behaviour of sputter-deposited amorphous Ni-Ti alloys in 1 M HCl, 1128
torque sensor using amorphous magnetostrictive ribbons, 1378
- Amorphous alloy
amorphous (Ti,Zr,Hf)-Ni-Cu ternary alloys with a wide supercooled liquid region, 1423
highly corrosion-resistant amorphous Cr-Ni-P alloys, 1114
local atomic structural changes on structural relaxation in a $\text{Pd}_{82}\text{Si}_{18}$ amorphous alloy, 479
magnetic properties of Fe-based icosahedral cluster amorphous alloys, 860
magneto-volume effect of amorphous Fe-(Co,Cr)-Zr alloys, 1001
softening of phonon density of states in Fe-based amorphous Invar alloys, 1040

- Amorphous alloy catalysts**
 amorphous alloy catalysts for decomposition of CCl_2F_2 by hydrolysis, 1091
 amorphous Fe-valve metal-Pt group metal alloy catalysts for methanation of CO_2 , 1133
- Amorphous alloy electrodes**
 amorphous alloy electrodes for anodic oxidation of sulfite, 1081
- Amorphous alloy layer**
 characteristics of an amorphous magnetic alloy layer prepared by laser quenching, and its application to a torque sensor, 1359
- Amorphous alloy powder**
 consolidation mechanism of aluminum-based amorphous alloy powders during warm extrusion, 1174
- Amorphous alloy precursor**
 nitrogen monoxide decomposition catalysts prepared from amorphous Ni-valve metal-Pd alloys, 1123
- Amorphous alloy structures**
 high resolution electron microscopy of medium-range order in amorphous alloys, 97
- Amorphous alloys**
 chemical reactivity of amorphous alloys, 142
 crystallization and thermal stability of amorphous Ti-B alloys, 366
 crystallization behaviour of Al-Sm amorphous alloys, 600
 diffusion of iron in $\text{Mg}_{60}\text{Ni}_{25}\text{Nd}_{15}$ amorphous alloys with a wide supercooled liquid region, 334
 effects of induction annealing on the magnetic properties of amorphous alloys, 973
 kinetic and thermodynamic aspects of crystallization in Cu-Ti-Ni and Cu-Ti-Al metallic glasses, 371
 magnetism of amorphous transition metals and alloys, 62
 mechanically driven CO hydrogenation over NiZr amorphous catalysts, 1085
 phase transformations in nanocrystalline alloys, 20
 small-angle neutron scattering studies of nanosized amorphous Si-Au alloys, 458
- Amorphous aluminium alloy**
 enhanced heterogeneous nucleation of α -Al in amorphous aluminium alloys, 1335
- Amorphous atomic structure**
 atomic structure analysis of NdFe and NdCo amorphous films, 448
- Amorphous Co-Y**
 enhancement of Curie temperature in amorphous Co-Y alloys, 946
- Amorphous Cr-Ni-P alloy**
 highly corrosion-resistant amorphous Cr-Ni-P alloys, 1114
- Amorphous $\text{Cu}_{50}\text{Zr}_{50}$**
 effect of passing electric current on the structural relaxation and crystallization in amorphous alloys, 275
 the hydrogen-induced structural relaxation and crystallization observed in amorphous $\text{Cu}_{50}\text{Zr}_{50}$ and $\text{Cu}_{60}\text{Zr}_{40}$, 422
 the inelastic property of amorphous $\text{Cu}_{50}\text{Zr}_{50}$, 1060
- Amorphous crystallization**
 observation of the crystallization of amorphous Fe-Cu-Si-B alloy by in situ transmission electron microscopy, 386
- Amorphous Fe-8Cr-13P-7C alloy**
 effect of phosphorus on the passivation behavior of amorphous Fe-8Cr-13P-7C alloy in 9M H_2SO_4 solution, 1119
- Amorphous Fe-Cu-Nb-Si-B alloy**
 precipitation of α -Fe and structure for amorphous $\text{Fe}_{74}\text{Cu}_1\text{Nb}_3\text{Si}_x\text{B}_{22-x}$ alloys by annealing, 992
- Amorphous Fe-Si steel**
 improved longitudinal magnetic shielding by an amorphous Fe-Si steel composite panel, 1374
- Amorphous Fe-Zr**
 ferromagnetism and spin glass in amorphous Fe-Zr alloys, 856
- Amorphous flake**
 temperature-sensitive amorphous magnetic flakes for intra-tissue hyperthermia, 1366
- Amorphous formability**
 prediction of amorphous formation in binary transition metal alloys, 238
- Amorphous germanium**
 growth dynamics of fractal Ge clusters during crystallization of amorphous phase on polycrystalline Au layer, 355
- Amorphous materials**
 an exact model of d.c. Joule heating in amorphous metallic ribbons, 361
- Amorphous metallic alloys**
 diffusion in amorphous metallic alloys, 36
 effect of melt temperature on the electrical resistivity and crystallization temperature of $\text{Al}_{91}\text{La}_5\text{Ni}_4$ and $\text{Al}_{91}\text{Ce}_5\text{Ni}_4$ amorphous alloys, 91
- Amorphous metals**
 magnetoresistance and superconducting critical magnetic field of amorphous $\text{Al}_{90}\text{La}_{10}$ and $\text{Al}_{90}\text{Y}_{10}$, 921
 the pressure effect on Au diffusion in amorphous $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{20}$, 270
- Amorphous Ni**
 metastable b.c.c. and amorphous Ni produced by mechanical alloying and chemical leaching, 1184
- Amorphous Ni-Nb-Pt alloys**
 amorphous Ni-Nb-Pt alloy catalysts for electro-oxidation of ethylene, 1137
- Amorphous Ni-valve metal alloy**
 nitrogen monoxide decomposition catalysts prepared from amorphous Ni-valve metal-Pd alloys, 1123
- Amorphous Ni-Zr-Cr alloy**
 amorphous alloy catalysts for decomposition of CCl_2F_2 by hydrolysis, 1091
- Amorphous phase**
 amorphous and quasi-crystalline phases in rapidly solidified Mg-Al-Zn alloys, 1387
 approaches to an icosahedral glass model for the icosahedral phase formed by transition from the amorphous state, 750
 effects of ambient temperature and acceleration on various mechanical alloying products: Mg-Al-Zn quasicrystals, Ni-Zr amorphous alloys and amorphous Se, 224
 formation of amorphous Ti-Si powdered alloys and their shock consolidation, 220
 microstructural development in rapidly solidified Ti-Ni alloys, 198
 sputtered Fe-Hf-O films with high electrical resistivity and good soft magnetic properties, 1020
- Amorphous powders**
 mechanically driven CO hydrogenation over NiZr amorphous catalysts, 1085
 thermal and magnetic properties of amorphous magnetic powders produced by comminution process, 986
- Amorphous ribbon**
 effects of insulation and surface roughness on high frequency magnetic properties up to 10 MHz in thin amorphous ribbons, 884
 new casting technique for a wide ribbon in a single-roller process, 1310
- Amorphous strip**
 production and magnetic properties of Fe-B-Si amorphous alloy ribbons: a review, 1435

- Amorphous ultrafine particles**
the formation of nanostructured materials by consolidating ultrafine amorphous alloy particles prepared by chemical reduction, 577
- Amorphous wire**
applications of amorphous wire, 66
energy transferring system for totally implantable medical devices using amorphous magnetic fibers, 1363
quick-response and sensitive magnetic field sensor using a 200 MHz resonant field effect transistor multivibrator with amorphous wire magnetoinductive elements, 1369
- Analytical electron microscopy**
development of high temperature dispersion strengthening in rapidly quenched Al-Ti-X alloys, 619
- Annealing**
Ammann bars and phason flips in quasicrystals, 746
heat treatment of rapidly solidified $\text{Fe}_{63}\text{Cr}_{18}\text{Ti}_4\text{B}_{15}$, 416
- Annealing effect**
quasicrystallization characteristics of mechanically alloyed $\text{Al}_{65}\text{Cu}_{20}\text{Fe}_{15}$ powder, 841
the amorphous to icosahedral phase transformation in mechanically alloyed $\text{Al}_{75}\text{Cu}_{15}\text{V}_{10}$ powder, 819
- Annihilation**
formation and annihilation of defects governing flow and diffusion in amorphous metals, 81
- Anodic oxidation of sulfite**
amorphous alloy electrodes for anodic oxidation of sulfite, 1081
- Anomalous X-ray scattering**
structural study of $\text{Zr}_{33}\text{Y}_{27}\text{Al}_{15}\text{Ni}_{25}$ amorphous alloys by anomalous X-ray scattering (AXS), 444
- Applications**
towards applications of quasicrystals, 122
- Approximant**
amorphous and quasi-crystalline phases in rapidly solidified Mg-Al-Zn alloys, 1387
free energy analysis for the phase transition of quasi-crystals and phase diagram of the Al-Cu-Fe system, 762
- Approximant crystals**
electronic structure, magnetic properties and electron transport in $\text{Al}_{82.6-x}\text{Mn}_{17.4}\text{Si}_x$ ($4 \leq x \leq 16$) quasicrystals and approximant crystals, 730
studies of Mg-Al-Pd icosahedral quasicrystals and approximant crystals synthesized by the mechanical alloying process, 828
- Artificial heart**
energy transferring system for totally implantable medical devices using amorphous magnetic fibers, 1363
- Atmosphere**
amorphization of Ti-Zr powders by mechanical alloying in H_2 , N_2 and O_2 atmospheres, 1263
structural evolutions of Ni-Ti systems caused by mechanical alloying in different atmospheres, 215
- Atmospheric effects**
effects of the atmosphere on the mechanical alloying process of Al-25at.%Ti mixed powder, 676
- Atomic disorder**
formation of amorphous and metastable phases from the σ phase by ball milling, 1207
mechanically induced atomic disorder and phase transformation in intermetallic compounds, 453
- Atomic ordering**
atomic ordering and structure recovery of non-equilibrium mechanically ground alloy, 320
- Atomic short-range order**
some basic notions on nanostructured solids, 102
- Atomic size mismatch**
a universal model for solid state amorphization of nanosized and supersaturated crystals, 491
- Atomic structure**
structure studies by X-ray and neutron diffraction: how accurate are they?, 17
- Atomisation**
rapid solidification processing and microstructure formation, 46
- Atomization**
microstructural studies of Nd-Fe-B powders produced by gas atomization, 1232
- Auger electron spectroscopy**
interdiffusion in amorphous $\text{Ni}_{65}\text{Ti}_{35}/\text{Ni}_{35}\text{Ti}_{65}$ bilayer film studied by Auger electron spectroscopy, 337
- Ball milling**
comparison of the transformation sequence from $\gamma\text{-AlOOH}$ (boehmite) to $\alpha\text{-Al}_2\text{O}_3$ (corundum) induced by heating and by ball milling, 1227
formation of amorphous and metastable phases from the σ phase by ball milling, 1207
mechanically induced atomic disorder and phase transformation in intermetallic compounds, 453
phase transformations in nanocrystalline alloys, 20
- Banded structure**
microstructural evolution in a rapidly solidified Al-4mass%Fe droplet, 1156
microstructural variation in rapidly solidified ribbons of Ag-Cu and Cu-Mn alloys, 1320
- b.c.c. Ni**
metastable b.c.c. and amorphous Ni produced by mechanical alloying and chemical leaching, 1184
- b.c.c. nickel powder**
electrocatalytic behavior of non-equilibrium b.c.c. nickel, 1145
- b.c.c. phase**
sputtered Fe-Hf-O films with high electrical resistivity and good soft magnetic properties, 1020
- Bending ductility**
new Al-based amorphous alloys with high mechanical strength in the Al-Ni-M and Al-Co-M (M = Mn, Fe, Co, Ni) systems, 596
- Bernoulli equation**
theoretical expectation of strip thickness in planar flow casting process, 1237
- Bilayer film**
interdiffusion in amorphous $\text{Ni}_{65}\text{Ti}_{35}/\text{Ni}_{35}\text{Ti}_{65}$ bilayer film studied by Auger electron spectroscopy, 337
- Bimolecular reaction**
formation and annihilation of defects governing flow and diffusion in amorphous metals, 81
- Bond orbital model**
prediction of amorphous formation in binary transition metal alloys, 238
- Bonded magnet**
magnetic properties and microstructure of V-and-M-added, Fe_3B -based, Nd-Fe-B nanocrystalline permanent magnets (M = Al, Si), 868
- Boron**
crystallization and thermal stability of amorphous Ti-B alloys, 366
- Bridgman solidification**
easy glass formation in $\text{Mg}_{64}\text{Ni}_{21}\text{Nd}_{15}$ by Bridgman solidification, 628

- Brittleness**
production and magnetic properties of Fe-B-Si amorphous alloy ribbons: a review, 1435
- Bulk amorphous alloy**
extremely wide supercooled liquid region and large glass-forming ability in $Zr_{65-x}Al_{17.5}Ni_{10}Be_x$ amorphous alloys, 210
- Burgers vector**
mechanical properties and deformation behaviour of large $Al_{70}Pd_{20}Mn_{10}$ single quasi-crystals, 850
- CALPHAD calculation**
thermodynamic and kinetic requirements for inverse melting, 31
- Catalysts**
metastable metals for "green" materials for global atmosphere conservation and abundant energy supply, 27
- Catalytic converter**
oxidation resistance of rapidly solidified Fe-Cr-Al ribbons at high temperature, 1104
- Ceramic composites**
structural and mechanical properties of fine composites prepared by Ti-Si₃N₄ solid state reactions, 153
- Ceramic fibers**
fine metallic and ceramic fibers by melt extraction, 158
- Cerium-ytterbium alloy**
non-equilibrium phase formation and valence fluctuation in immiscible Ce-Yb alloys produced by mechanical milling and sputtering, 1268
- Chemical leaching**
formation of new phases by chemical leaching of rapidly solidified alloys, 1190
- Chemotherapy**
temperature-sensitive amorphous magnetic flakes for intra-tissue hyperthermia, 1366
- Clean preparation system**
consolidation and mechanical properties of atomized Mg-based amorphous powders, 112
- Cluster growth**
numerical simulation of cluster growth during the transient nucleation period, for nucleation temperature evaluation in melt spinning, 1326
- CO₂**
amorphous Fe-valve metal-Pt group metal alloy catalysts for methanation of CO₂, 1133
- CO₂-recycling**
metastable metals for "green" materials for global atmosphere conservation and abundant energy supply, 27
- Co-based alloys**
soft magnetic properties of Co-based heterogeneous amorphous alloys with high electrical resistivity, 892
- Co-Gd alloys**
Curie temperatures for amorphous $Tm_{100-x}Gd_x$ ($Tm \equiv Fe, Co; 40 \leq x \leq 60$) alloys, 937
- Co-Ti alloys**
rapid solidification of cobalt-titanium alloys induced by nanosecond laser pulses, 243
- Co-Y compounds**
enhancement of Curie temperature in amorphous Co-Y alloys, 946
- Co-Zr**
rapid crystallization of amorphous Co-Zr and Fe-B close to eutectic compositions, 396
- Co-Zr alloy**
structural changes in B2 CoZr compound during amorphization process by mechanical milling, 1330
- Cobalt-base alloy**
corrosion behavior of sputter-deposited Co-base alloy films in neutral solutions, 1109
- Cobalt-carbon alloy**
crystallization of co-sputtered amorphous cobalt-carbon alloys: morphology and kinetics of spherulitic growth, 297
- Coercivity**
a study of flash-annealed FeMnSiB amorphous cores, 969
microstructural studies of Nd-Fe-B powders produced by gas atomization, 1232
- Coherence relationships**
microstructure of rapidly solidified Al-7.5Cu-2.5Fe, 665
- Collective excitations**
theoretical study of dynamical properties of binary metallic glasses in the harmonic approximation, 1043
- Collision-limited growth**
rapid solidification of cobalt-titanium alloys induced by nanosecond laser pulses, 243
- Combustion synthesis reaction**
mechanical alloying process of metal-B ($M \equiv Ti, Zr$) powder mixture, 1291
- Comminution process**
thermal and magnetic properties of amorphous magnetic powders produced by comminution process, 986
- Compaction**
fabrication of bulk amorphous alloy by rolling of mechanically alloyed Al-Cr powders, 1165
- Composite anisotropy**
composite anisotropy multilayers based on amorphous CoNbZr/SiO₂, 1030
- Composite core**
production of flaky Fe-based amorphous powders by a two-stage quenching technique and their magnetic properties, 1161
- Composite material**
solid solution of Cu in (Al-Cu)-SiC_p metal matrix composites processed by spray atomization and codeposition, 609
- Compositional gradient**
functionally graded Al-Zr-based amorphous alloys, 1300
- Compressibility**
large magnetoelastic effects of amorphous Ce-Fe alloys, 958
- Computer simulation**
computer studies of a phase transition of icosahedral quasi-crystals, 758
on the determination of the structure of metallic glasses by reverse Monte Carlo simulation: comparison with hard sphere Monte Carlo results, 433
- Conductance**
electronic transport of a two-dimensional Penrose lattice with random phason strain, 726
- Consolidation**
consolidation mechanism of aluminum-based amorphous alloy powders during warm extrusion, 1174
microstructure and strength of rapidly solidified magnesium alloys, 712
- Containerless processing**
direct measurements of crystal growth velocities in undercooled melts, 147
- Copper elution**
production of flaky Cu-based amorphous powders by a two-stage quenching technique, and their chemical and optical properties, 1383
- Copper species**
dehydration of 2-propanol over Cu-Ti metallic glasses: effect of pretreatments and reaction on the structure and surface properties, 1095

Corrosion

- chemical reactivity of amorphous alloys, 142
- corrosion behavior of sputter-deposited Co-base alloy films in neutral solutions, 1109
- the corrosion behaviour of sputter-deposited amorphous Ni-Ti alloys in 1 M HCl, 1128

Corrosion behavior

- electrochemical behavior of a quasi-crystalline Al-Pd-Mn alloy in a chloride-containing solution, 1141

Corrosion resistance

- effect of phosphorus on the passivation behavior of amorphous Fe-8Cr-13P-7C alloy in 9M H₂SO₄ solution, 1119
- highly corrosion-resistant amorphous Cr-Ni-P alloys, 1114

Cosputtering

- microstructural characterization of nanocomposite thin films of Ag-SiO₂, Ag-ZnO and Ag-Si, 545

Cr-Ti alloys

- study of the transformation of rapidly quenched Cr₄₀Ti₆₀, 316

Critical magnetic field

- magnetoresistance and superconducting critical magnetic field of amorphous Al₉₀La₁₀ and Al₉₀Y₁₀, 921

Crystal growth

- crystallization of metallic glasses, 41
- high *T_c* YBa₂Cu₃O_{7-δ} superconductors made by the melt-quench growth process, 1051
- modelling of non-equilibrium crystallization and transformation diagrams, 288

Crystal structure

- crystal structure and magnetic properties of a nitrogenated melt-spun Sm₂Fe₁₇ compound, 1010

Crystallization

- crystallization and thermal stability of amorphous Ti-B alloys, 366
- crystallization behaviour of Al-Sm amorphous alloys, 600
- crystallization kinetics and specific heat of Cu₆₀Zr₄₀ glassy alloy, 1427
- crystallization kinetics of an amorphous ferromagnet Fe_{77.5}B₁₅Si_{7.5}, 293
- crystallization of amorphous Al₈₅Y₁₀Ni₅ and Al₈₅Y₅Ni₁₀ alloys, 506
- crystallization of co-sputtered amorphous cobalt-carbon alloys: morphology and kinetics of spherulitic growth, 297
- crystallization of Fe-Si-B-Ga-Nb amorphous alloy, 521
- crystallization of metallic glasses, 41
- effect of C, Al and Si additions on the magnetic properties of melt-spun Nd-Fe-B alloys, 1004
- effects of crystallization on the magnetization dynamics of Vitrovac amorphous ribbons, 978
- effects of passing electric current on the structural relaxation and crystallization in amorphous alloys, 275
- electrical resistivity and thermoelectric power of Fe₉₁Zr₉, 1035
- enhanced heterogeneous nucleation of α-Al in amorphous aluminium alloys, 1335
- formation of nuclei of metastable phases in nanocrystalline materials, 557
- growth dynamics of fractal Ge clusters during crystallization of amorphous phase on polycrystalline Au layer, 355
- heat treatment of melt-spun amorphous Fe-Si-B-Cu-Nb alloy, 309
- heat treatment of rapidly solidified Fe₆₃Cr₁₈Ti₄B₁₅, 416
- kinetics of the crystallization of amorphous Ti-Ni and Ti-Ni-Si alloys, 641
- magnetic properties and core losses of nanocrystalline Fe-M-B (M ≡ Zr, Hf or Nb) alloys, 127
- metal-contact-induced crystallization of semiconductors, 426

nanocrystalline phase formation in amorphous Fe_{73.5}Cu₁Nb₃Si_{13.5}B₉ submitted to conventional annealing and Joule heating, 572

rapid crystallization of amorphous Co-Zr and Fe-B close to eutectic compositions, 396

short-range structure of amorphous and nanocrystalline Fe-Si-B-Cu-Nb alloys, 473

structural and magnetic properties of nanocrystalline Fe-Si-B alloys produced by mechanical crystallization, 516

studies of crystallization of sputter-deposited Fe₈₂Si₆B₁₂ metallic glass film, 382

the role of boron in nanocrystalline Fe-Zr-B soft magnetic alloys, 501

time-temperature-transformation diagram of a highly processable metallic glass, 173

variation in lattice parameters with grain size of a nanophase Ni₃P compound, 541

variation of the interfacial energy with grain size in nanocrystalline materials, 536

Crystallization behaviour

- dynamic temperature resistometry analysis of rapidly quenched Fe₈₆B₁₄ alloy and its correlated study by Mössbauer spectroscopy and scanning electron microscopy, 376

Crystallization kinetics

- kinetic and thermodynamic aspects of crystallization in Cu-Ti-Ni and Cu-Ti-Al metallic glasses, 371
- the kinetics of amorphous-nanocrystalline transformation for a Finemet alloy, 567

thermal and magnetic properties of amorphous magnetic powders produced by comminution process, 986

thermal properties and crystallization kinetics of new fluoride glasses, 303

Crystallization thermodynamics

- kinetic and thermodynamic aspects of crystallization in Cu-Ti-Ni and Cu-Ti-Al metallic glasses, 371

Cu-based amorphous powder

- production of flaky Cu-based amorphous powders by a two-stage quenching technique, and their chemical and optical properties, 1383

Cu-Co alloys

- giant magnetoresistance of Cu-Co-X alloys produced by liquid quenching, 888

Cu-Ti amorphous catalyst

- dehydration of 2-propanol over Cu-Ti metallic glasses: effect of pretreatments and reaction on the structure and surface properties, 1095

Cu-Zr alloys

- dehydration of 2-propanol over Cu-Ti metallic glasses: effect of pretreatments and reaction on the structure and surface properties, 1095

Curie temperature

- Curie temperatures for amorphous TM_{100-X}Gd_X (TM ≡ Fe, Co; 40 ≤ X ≤ 60) alloys, 937

enhancement of Curie temperature in amorphous Co-Y alloys, 946

ferromagnetism and spin glass in amorphous Fe-Zr alloys, 856

magnetic properties of Fe-V powders produced by mechanical alloying, 1277

nitriding of Nd₂Fe₁₄B, 408

on the nature of the remaining amorphous matrix after nanocrystallization of Fe₇₇Si₁₄B₉ with Cu and Nb addition, 1415

temperature-sensitive amorphous magnetic flakes for intra-tissue hyperthermia, 1366

- Damping**
mechanical damping of rapidly quenched Ti-Ni-Cu alloys, 1076
- Debye temperature**
large magnetoelastic effects of amorphous Ce-Fe alloys, 958
- Decagonal phase**
atomic packing geometries and lattice properties of a model decagonal phase, 833
convergent-beam electron diffraction and electron microscope study on decagonal quasicrystals of Al-Cu-Co and Al-Co alloys, 805
difference between the magnetic properties of icosahedral and decagonal phases of AlPdMn quasicrystals, 801
icosahedral and decagonal quasicrystals in the Al-Pd-Mg system, 811
rational approximants to the decagonal phase in Al-Mn-M (M = Ni, Cu, Zn) systems, 754
- Decagonal quasicrystal**
decagonal quasicrystal in rapidly solidified Al-Pd-Mn alloys, 815
- Decagonal quasicrystals**
electronic structure in a model of decagonal AlCuCo approximant, 722
real space analysis of phason disorders in decagonal quasicrystals, 742
- Decomposition behaviour**
structure and decomposition behaviour of rapidly solidified Mg-Nd-X (X = Al, Si) alloys, 637
- Decomposition of CCl₂F₂**
amorphous alloy catalysts for decomposition of CCl₂F₂ by hydrolysis, 1091
- Defects**
formation and annihilation of defects governing flow and diffusion in amorphous metals, 81
- de Gennes factor**
magnetic properties of metastable h.c.p. samarium, 864
- Deleterious effect of Al**
method for suppressing surface crystallization in Fe-base amorphous alloy ribbons containing Al, 1346
- Dendrite growth velocities**
direct measurements of crystal growth velocities in undercooled melts, 147
- Dendritic growth velocities**
rapid dendritic and eutectic solidification of undercooled Co-Mo alloys, 1150
- Densities of states**
pseudo-gaps in crystalline and quasicrystalline alloys, 717
- Density of states**
electronic structure in a model of decagonal AlCuCo approximant, 722
- Devitrification**
crystallization of metallic glasses, 41
enhanced heterogeneous nucleation of α -Al in amorphous aluminium alloys, 1335
- Diffusion**
diffusion of iron in Mg₆₀Ni₂₅Nd₁₅ amorphous alloys with a wide supercooled liquid region, 334
formation and annihilation of defects governing flow and diffusion in amorphous metals, 81
self-diffusion of manganese in Al-Pd-Mn icosahedral quasicrystals, 738
the pressure effect on Au diffusion in amorphous Pd₄₀Ni₄₀P₂₀, 270
- Diffusion mechanisms**
diffusion in amorphous metallic alloys, 36
- Diffusion-limited growth**
rapid solidification of cobalt-titanium alloys induced by nanosecond laser pulses, 243
- Diffusivity**
a comparison of the approach to equilibrium of the viscosity and diffusivity of Pd-Si-based amorphous metals, 265
diffusivity and viscosity during structural relaxation in metallic glasses, 86
- Dislocation structure**
mechanical properties and deformation behaviour of large Al₇₀Pd₂₀Mn₁₀ single quasi-crystals, 850
- Dispersed amorphous structure**
formation and mechanical properties of amorphous Al-Ni-Nd alloys, 649
- Dispersion strengthening**
development of high temperature dispersion strengthening in rapidly quenched Al-Ti-X alloys, 619
- Double oxide**
nitrogen monoxide decomposition catalysts prepared from amorphous Ni-valve metal-Pd alloys, 1123
- DRPHS model**
atomic structure analysis of NdFe and NdCo amorphous films, 448
- DSC**
metal-contact-induced crystallization of semiconductors, 426
thermal stability in a superplastic Si₃N_{4(p)}/Al-Mg composite, 625
- Dynamic properties**
indications of effects of photon-roton states on electronic transport, 916
- Elastic modulus**
elastic properties of amorphous thin films studied using Rayleigh waves, 137
metastable b.c.c. phase formation in the Nb-Cr system, 176
the relationship between the elastic modulus, resistivity and number of metal-metalloid bonds in Fe-Si-B amorphous alloys, 966
- Elastic strains**
a universal model for solid state amorphization of nanosized and supersaturated crystals, 491
- Electrical conductivity**
electrical conductivity and Hall effect of Al-Cu-Ru and Al-Cu-Fe quasi-crystals, 794
- Electrical resistance**
reversible structural relaxation in Fe-B-Si amorphous alloys, 279
- Electrical resistivity**
a precipitation study of two rapidly solidified Al-Fe alloys, 323
- Electro-oxidation of ethylene**
amorphous Ni-Nb-Pt alloy catalysts for electro-oxidation of ethylene, 1137
- Electrocatalyst**
amorphous Ni-Nb-Pt alloy catalysts for electro-oxidation of ethylene, 1137
- Electrocatalytic activity**
amorphous alloy electrodes for anodic oxidation of sulfite, 1081
electrocatalytic behavior of non-equilibrium b.c.c. nickel, 1145
- Electrochemical behavior**
electrochemical behavior of a quasi-crystalline Al-Pd-Mn alloy in a chloride-containing solution, 1141

- Electrodeposited Ni
thermal stability of nanocrystalline nickel electrodeposits: differential scanning calorimetry, transmission electron microscopy and magnetic studies, 531
- Electromagnetic levitation
phase selection in undercooled melts of Al-Cu-Co and Al-Cu-Fe quasi-crystal-forming alloys, 766
- Electron microscopy
study of the transformation of rapidly quenched $\text{Cr}_{40}\text{Ti}_{60}$, 316
- Electron-phonon enhancement
temperature dependence of thermopower in non-magnetic metallic glasses, 926
- Electron transport
d-electron contributions to the positive Hall coefficient of disordered metals, 911
electronic structure and electron transport properties of Mg-Al-Pd quasicrystals and approximant crystals, 785
- Electronic density of states
electronic structure and transport properties in quasi-crystals, 118
- Electronic states
do electrons stabilize the metastable state of undercooled metallic melts?, 1055
- Electronic structure
electronic structure in a model of decagonal AlCuCo approximant, 722
photoemission study of electronic structures of Nd-Fe and Nd-Fe-B alloy glasses, 932
- Electronic transport
indications of effects of photon-roton states on electronic transport, 916
- Electropulsing treatment
microstructural relaxation of amorphous alloy $\text{Fe}_{79}\text{Si}_7\text{B}_{14}$ during electropulsing, 982
- Embolization
temperature-sensitive amorphous magnetic flakes for intra-tissue hyperthermia, 1366
- Energy transfer
energy transferring system for totally implantable medical devices using amorphous magnetic fibers, 1363
- Entropy
temperature-dependent free energy of crystallization and viscosity of glassy materials, 186
- Epitaxial growth
characteristics of microstructures of Ni-Au and Pd-Au alloy films prepared by an evaporation method, 401
- Eutectic
lamellar eutectics: a comparison of three models valid at high growth rates, 1392
- Eutectic compositions
rapid crystallization of amorphous Co-Zr and Fe-B close to eutectic compositions, 396
- Eutectic growth velocities
rapid dendritic and eutectic solidification of undercooled Co-Mo alloys, 1150
- Eutectic microstructures
rapid dendritic and eutectic solidification of undercooled Co-Mo alloys, 1150
- EXAFS
structural changes in B2 CoZr compound during amorphization process by mechanical milling, 1330
- Exchange interactions
magnetic properties and microstructure of V-and-M-added, Fe_3B -based, Nd-Fe-B nanocrystalline permanent magnets ($\text{M} \equiv \text{Al, Si}$), 868
spin wave stiffness constant of amorphous $(\text{Co}_{1-x}\text{Ni}_x)_{75}\text{-Si}_{10}\text{B}_{15}$ alloys, 941
- Exothermic temperature spike
phase evolution and formation process of compound during ball milling of Ti-Si powder mixtures, 1212
- Extruded bulk alloy
new Mg-based amorphous alloys in Mg-Y-misch metal systems, 702
- Extrusion
consolidation mechanism of aluminum-based amorphous alloy powders during warm extrusion, 1174
- $\text{Fe}_{73.5}\text{Cu}_1\text{Nb}_3\text{Si}_{13.5}\text{B}_9$ alloy
structural characteristics of a nanocrystalline Fe-Cu-Nb-Si-B soft magnetic alloy, 1405
- Fe-Ag films
structural and magnetic properties of Fe-Ag granular material, 483
- Fe-Al alloys
mechanical alloying in the Fe-Al system, 1217
- Fe-B
rapid crystallization of amorphous Co-Zr and Fe-B close to eutectic compositions, 396
- Fe-B-Si alloys
production and magnetic properties of Fe-B-Si amorphous alloy ribbons: a review, 1435
- Fe-based amorphous cores
a study of flash-annealed FeMnSiB amorphous cores, 969
- Fe-Co-RE alloys
magnetostriction and coercivity of Fe-Co-RE alloys prepared by a high rate sputtering method, 962
- Fe-Cr-Al alloy
oxidation resistance of rapidly solidified Fe-Cr-Al ribbons at high temperature, 1104
- Fe-Cr-Ti-B
heat treatment of rapidly solidified $\text{Fe}_{63}\text{Cr}_{18}\text{Ti}_4\text{B}_{15}$, 416
- Fe-Cu-Nb-Si-B
magnetic properties of Fe-Cu-Nb-Si-B nanocrystalline alloys with low magnetostriction, 871
- Fe-Cu-Nb-Si-B alloys
magnetic field induced anisotropy in nanocrystalline Fe-Cu-Nb-Si-B alloys, 876
- Fe-Cu-P alloys
structure and magnetic properties of pulse-plated Fe-P and Fe-Cu-P amorphous alloys, 906
- Fe-Fe₃C
lamellar eutectics: a comparison of three models valid at high growth rates, 1392
- Fe-Gd alloys
Curie temperatures for amorphous $\text{TM}_{100-x}\text{Gd}_x$ ($\text{TM} \equiv \text{Fe, Co}$; $40 \leq x \leq 60$) alloys, 937
- Fe-Hf-B alloy
microstructure of nanocrystalline b.c.c. Fe-M-B ($\text{M} \equiv \text{Mb, Hf}$) soft magnetic alloys, 495
- γ' -Fe₄N
martensitic transformation of mechanically ground γ' -Fe₄N, 1272
- Fe-Nb-B
high-resolution electron microscopy study of microstructural changes in magnetic Fe-Nb-B films in the course of annealing, 487
- Fe-Nb-B alloy
production of nanocrystalline b.c.c. Fe-Nb-B bulk alloys by warm extrusion and their magnetic properties, 511
- Fe-P alloys
structure and magnetic properties of pulse-plated Fe-P and Fe-Cu-P amorphous alloys, 906

- Fe-Si-B-Cu-Nb
a fluorescence X-ray absorption fine structure study of the effect of small amounts of additives on the formation of the nanocrystalline phase from metallic glass, 469
- Fe-V system
magnetic properties of Fe-V powders produced by mechanical alloying, 1277
- Fe-Zr-B alloy
microstructural change upon annealing in Fe-Zr-B alloys with different boron contents, 552
- Fe-(Cr,Nb)-SiB
soft magnetic properties of ultrathin Fe-based amorphous alloy cores, 902
- FeMnSiB
a study of flash-annealed FeMnSiB amorphous cores, 969
- Ferromagnetic amorphous ribbon
effects of crystallization on the magnetization dynamics of Vitrovac amorphous ribbons, 978
- Ferromagnetism
crystallization kinetics of an amorphous ferromagnet $\text{Fe}_{77.5}\text{B}_{15}\text{Si}_{7.5}$, 293
degree of amorphization of mechanically alloyed $\text{Fe}_{77.5}\text{B}_{15}\text{Si}_{7.5}$ powders determined by magnetic measurements, 1296
enhancement of Curie temperature in amorphous Co-Y alloys, 946
ferromagnetism and spin glass in amorphous Fe-Zr alloys, 856
magnetic properties of Al-Pd-Mn-B quasi-crystals with high magnetization, 734
magnetism of amorphous transition metals and alloys, 62
nuclear magnetic resonance study of new strong magnetism in quasicrystalline Al-Pd-Mn-B alloys, 798
- Field cooling effect
magnetic properties of metastable h.c.p. samarium, 864
- Field induced anisotropy
magnetic field induced anisotropy in nanocrystalline Fe-Cu-Nb-Si-B alloys, 876
- Fine grain size
thermomechanical processing and superplastic behaviour in aluminium-based alloys produced from amorphous or nanocrystalline powders, 1068
- Fine structure
crystallization of Fe-Si-B-Ga-Nb amorphous alloy, 521
- Finemet
formation of nuclei of metastable phases in nanocrystalline materials, 557
- Finemet alloy
the kinetics of amorphous-nanocrystalline transformation for a Finemet alloy, 567
- Flaky amorphous powder
production of flaky Fe-based amorphous powders by a two-stage quenching technique and their magnetic properties, 1161
- Flaky powder
production of flaky Cu-based amorphous powders by a two-stage quenching technique, and their chemical and optical properties, 1383
production of flaky Ti-based amorphous powder by a two-stage quenching technique and its thermal stability, 697
- Flash annealing
a study of flash-annealed FeMnSiB amorphous cores, 969
- Fluoride glasses
thermal properties and crystallization kinetics of new fluoride glasses, 303
- Fractals
growth dynamics of fractal Ge clusters during crystallization of amorphous phase on polycrystalline Au layer, 355
- small-angle neutron scattering studies of nanosized amorphous Si-Au alloys, 458
- Free energy diagram
metastable phases synthesized by ion beams and thermodynamic interpretation in binary metal systems, 189
- Free energy functional
free energy analysis for the phase transition of quasi-crystals and phase diagram of the Al-Cu-Fe system, 762
- Free volume
the hydrogen-induced structural relaxation and crystallization observed in amorphous $\text{Cu}_{50}\text{Zr}_{50}$ and $\text{Cu}_{60}\text{Zr}_{40}$, 422
the inelastic property of amorphous $\text{Cu}_{50}\text{Zr}_{50}$, 1060
- Free-volume fraction
glass transition behaviour of Zr- and Ti-based binary amorphous alloys, 252
- Frequency properties
effects of crystallization on the magnetization dynamics of Vitrovac amorphous ribbons, 978
- Friction loss
theoretical expectation of strip thickness in planar flow casting process, 1237
- Functionally graded material
functionally graded Al-Zr-based amorphous alloys, 1300
- Gap reduction parameter
prediction of amorphous formation in binary transition metal alloys, 238
- Gas atomization
characteristics of MnAlC rapidly solidified powders, 1355
consolidation and mechanical properties of atomized Mg-based amorphous powders, 112
consolidation mechanism of aluminum-based amorphous alloy powders during warm extrusion, 1174
heat flow in spray-formed Al-4Cu, 72
- Germanium
amorphization of silicon and germanium by mechanical grinding: effect of atmosphere and milling conditions, 1222
- Giant magnetoresistance
giant magnetoresistance of Cu-Co-X alloys produced by liquid quenching, 888
structural and magnetic properties of Fe-Ag granular material, 483
- Gibbs free energy
temperature-dependent free energy of crystallization and viscosity of glassy materials, 186
- Glass formability
easy glass formation in $\text{Mg}_{64}\text{Ni}_{21}\text{Nd}_{15}$ by Bridgman solidification, 628
- Glass formation
thermodynamic and kinetic requirements for inverse melting, 31
- Glass forming ability
amorphous (Ti,Zr,Hf)-Ni-Cu ternary alloys with a wide supercooled liquid region, 1423
extremely wide supercooled liquid region and large glass-forming ability in $\text{Zr}_{65-x}\text{Al}_{7.5}\text{Cu}_{17.5}\text{Ni}_{10}\text{Be}_x$ amorphous alloys, 210
mechanical strength and thermal stability of Ti-based amorphous alloys with large glass-forming ability, 692
thermal properties and crystallization kinetics of new fluoride glasses, 303
- Glass transition
amorphous (Ti,Zr,Hf)-Ni-Cu ternary alloys with a wide supercooled liquid region, 1423
atomistic computer simulation for liquid-glass transition in Zr-Ni alloy, 256

- crystallization kinetics and specific heat of $\text{Cu}_{60}\text{Zr}_{40}$ glassy alloy, 1427
- dynamical and structural liquid-glass transition for metallic potassium, 261
- evolution of medium-range order of $\text{Mg}_{0.5}\text{Ni}_{0.3}\text{La}_{0.2}$ metallic glass at a supercooled liquid temperature, 464
- glass transition behaviour of Zr- and Ti-based binary amorphous alloys, 252
- heat capacity of metallic glasses Fe-Ni-Zr, Co-Cr-Zr, Pd-Si and Ni-Si-B, 351
- mechanical strength and thermal stability of Ti-based amorphous alloys with large glass-forming ability, 692
- structural enthalpy relaxation in the glass transition range, 283
- structural study of $\text{Zr}_{33}\text{Y}_{27}\text{Al}_{15}\text{Ni}_{25}$ amorphous alloys by anomalous X-ray scattering (AXS), 444
- vitrification close to the Kauzmann point of eutectic Au-Pb-Sb alloys, 77
- Glassy materials**
- temperature-dependent free energy of crystallization and viscosity of glassy materials, 186
- Global atmosphere conservation**
- metastable metals for "green" materials for global atmosphere conservation and abundant energy supply, 27
- Grain boundary sliding**
- deformation characteristics of a superplastic aluminium alloy produced from amorphous powders, 1064
- Grain growth**
- ion irradiation induced grain growth in nanocrystalline Fe and Fe(Zr), 582
- Grain refinement**
- microstructural effects of ultrasonic vibrations applied during planar flow casting of steels, 1305
- Grain size**
- microstructural studies of Nd-Fe-B powders produced by gas atomization, 1232
- precipitation of α -Fe and structure for amorphous $\text{Fe}_{74}\text{Cu}_1\text{Nb}_3\text{Si}_x\text{B}_{22-x}$ alloys by annealing, 992
- Granular materials**
- structural and magnetic properties of Fe-Ag granular material, 483
- Green function**
- d-electron contributions to the positive Hall coefficient of disordered metals, 911
- Green materials**
- amorphous alloy catalysts for decomposition of CCl_2F_2 by hydrolysis, 1091
- Growth**
- rapid solidification of Fe-Ni-Mo alloys, 587
- Growth kinetics**
- crystallization of co-sputtered amorphous cobalt-carbon alloys: morphology and kinetics of spherulitic growth, 297
- Growth model**
- lamellar eutectics: a comparison of three models valid at high growth rates, 1392
- Hall coefficient**
- study of the electronic structure and electron transport properties of Al-Cu-Ru quasicrystals, 790
- Hall effect (Hall coefficient)**
- electrical conductivity and Hall effect of Al-Cu-Ru and Al-Cu-Fe quasi-crystals, 794
- Hard magnetic materials**
- thermodynamic, kinetic and structural mechanisms controlling the formation of nanocrystalline Nd-Fe-B materials, 526
- HCl**
- highly corrosion-resistant amorphous Cr-Ni-P alloys, 1114
- h.c.p. Sm**
- magnetic properties of metastable h.c.p. samarium, 864
- Heat capacity**
- structural enthalpy relaxation in the glass transition range, 283
- Heat flow**
- heat flow in spray-formed Al-4Cu, 72
- Heat treatment**
- decagonal quasicrystal in rapidly solidified Al-Pd-Mn alloys, 815
- heat treatment of melt-spun amorphous Fe-Si-B-Cu-Nb alloy, 309
- Heterogeneous alloy**
- high electrical resistivity behaviour of Fe- and Co-based soft magnetic heterogeneous alloys, 897
- Heterogeneous nucleation**
- enhanced heterogeneous nucleation of α -Al in amorphous aluminium alloys, 1335
- time-temperature-transformation diagram of a highly processable metallic glass, 173
- Heusler alloy**
- atomic ordering and structure recovery of non-equilibrium mechanically ground alloy, 320
- HF**
- highly corrosion-resistant amorphous Cr-Ni-P alloys, 1114
- High corrosion resistance**
- production of flaky Ti-based amorphous powder by a two-stage quenching technique and its thermal stability, 697
- High electrical resistivity**
- high electrical resistivity behaviour of Fe- and Co-based soft magnetic heterogeneous alloys, 897
- High frequency**
- soft magnetic properties of Co-based heterogeneous amorphous alloys with high electrical resistivity, 892
- High frequency properties**
- effects of insulation and surface roughness on high frequency magnetic properties up to 10 MHz in thin amorphous ribbons, 884
- High mechanical strength**
- the effect of Cu addition on the structure and mechanical properties of Al-Ni-M ($M \equiv \text{Ce}$ or Nd) amorphous alloys containing nanoscale f.c.c.-Al particles, 654
- High pressure gas atomization**
- microstructure and mechanical properties of bulk $\text{Mg}_{70}\text{Ca}_{10}\text{Al}_{20}$ alloys produced by extrusion of atomized amorphous powders, 707
- production of flaky Fe-based amorphous powders by a two-stage quenching technique and their magnetic properties, 1161
- High remanence**
- magnetic properties and microstructure of V-and-M-added, Fe_3B -based, Nd-Fe-B nanocrystalline permanent magnets ($M \equiv \text{Al, Si}$), 868
- High resistivity**
- electronic structure and electron transport properties of amorphous Ca-Al-Ga and Ca-Mg-Ga alloys, 1047
- soft magnetic properties of Co-based heterogeneous amorphous alloys with high electrical resistivity, 892
- soft magnetic properties of fine crystalline Fe-BN and Fe-BN-O films, 1025
- High saturation magnetization**
- magnetostriction and coercivity of Fe-Co-RE alloys prepared by a high rate sputtering method, 962

- production of nanocrystalline b.c.c. Fe-Nb-B bulk alloys by warm extrusion and their magnetic properties, 511
- High specific strength
- formation and mechanical properties of amorphous Al-Ni-Nd alloys, 649
 - high mechanical strengths of rapidly solidified $\text{Al}_{93}\text{Mn}_5\text{Ce}_1\text{M}_1$ ($\text{M} \equiv$ transition metal) alloys containing nanoscale quasi-crystalline phase as a main component, 845
 - high specific strength of extruded Mg-Al-Ge alloys produced by rapid solidification processing, 632
 - microstructure and mechanical properties of bulk $\text{Mg}_{70}\text{Ca}_{10}\text{Al}_{20}$ alloys produced by extrusion of atomized amorphous powders, 707
 - new Mg-based amorphous alloys in Mg-Y-misch metal systems, 702
- High strain rate
- deformation characteristics of a superplastic aluminium alloy produced from amorphous powders, 1064
- High strength
- high mechanical strength and strengthening mechanism of aluminum alloys with an ultrafine grain structure, 592
 - microstructural and mechanical evaluations of spray-deposited 7XXX Al-alloys after conventional consolidation, 614
 - new Al-based amorphous alloys with high mechanical strength in the Al-Ni-M and Al-Co-M ($\text{M} \equiv \text{Mn, Fe, Co, Ni}$) systems, 596
- High strength aluminum alloy
- thermomechanical processing and superplastic behaviour in aluminium-based alloys produced from amorphous or nanocrystalline powders, 1068
- High tensile strength
- formation of non-equilibrium b.c.c. phase with high tensile strength in Ni-Al-Zr system by rapid solidification, 1072
- Hot isostatic pressing
- nanostuctured titanium aluminides, 108
- Hot pressing
- the formation of nanostuctured materials by consolidating ultrafine amorphous alloy particles prepared by chemical reduction, 577
- Hot-pressed product
- transmission electron microscopy characterization of mechanically alloyed NiAl powder and hot-pressed product, 1169
- Hybrid function
- prediction of amorphous formation in binary transition metal alloys, 238
- Hydrogen embrittlement
- electrochemical behavior of a quasi-crystalline Al-Pd-Mn alloy in a chloride-containing solution, 1141
- Hydrogenation
- differential thermal analysis of hydrogen-induced amorphization in C15 Laves compounds RCO_2 , 181
 - electrical resistivity and thermoelectric power of $\text{Fe}_{91}\text{Zr}_9$, 1035
 - photoemission study of electronic structures of Nd-Fe and Nd-Fe-B alloy glasses, 932
- Hydrolysis
- amorphous alloy catalysts for decomposition of CCl_2F_2 by hydrolysis, 1091
- Hyperfine magnetic field
- nitriding of $\text{Nd}_2\text{Fe}_{14}\text{B}$, 408
- Hyperthermia
- temperature-sensitive amorphous magnetic flakes for intra-tissue hyperthermia, 1366
- Icosahedral alloy
- fabrication and novel properties of nanostructured Al base alloys, 57
- Icosahedral cluster
- magnetic properties of Fe-based icosahedral cluster amorphous alloys, 860
- Icosahedral glass
- approaches to an icosahedral glass model for the icosahedral phase formed by transition from the amorphous state, 750
- Icosahedral phase
- amorphous and quasi-crystalline phases in rapidly solidified Mg-Al-Zn alloys, 1387
 - difference between the magnetic properties of icosahedral and decagonal phases of AlPdMn quasicrystals, 801
 - icosahedral and decagonal quasicrystals in the Al-Pd-Mg system, 811
 - magnetic properties of Al-Pd-Mn-B quasi-crystals with high magnetization, 734
 - mechanical properties and deformation behaviour of large $\text{Al}_{70}\text{Pd}_{20}\text{Mn}_{10}$ single quasi-crystals, 850
- Icosahedral quasicrystals
- computer studies of a phase transition of icosahedral quasicrystals, 758
 - self-diffusion of manganese in Al-Pd-Mn icosahedral quasicrystals, 738
- Immiscible alloys
- microstructural developments in rapidly solidified monotectic alloys, 163
- Implantable medical devices
- energy transferring system for totally implantable medical devices using amorphous magnetic fibers, 1363
- Impurity diffusion
- diffusion of iron in $\text{Mn}_{60}\text{Ni}_{25}\text{Nd}_{15}$ amorphous alloys with a wide supercooled liquid region, 334
- In situ TEM
- crystallization of co-sputtered amorphous cobalt-carbon alloys: morphology and kinetics of spherulitic growth, 297
 - metal-contact-induced crystallization of semiconductors, 426
 - observation of the crystallization of amorphous Fe-Cu-Si-B alloy by in situ transmission electron microscopy, 386
- Induction annealing
- effects of induction annealing on the magnetic properties of amorphous alloys, 973
- Inelastic neutron scattering
- softening of phonon density of states in Fe-based amorphous Invar alloys, 1040
- Inelastic property
- the hydrogen-induced structural relaxation and crystallization observed in amorphous $\text{Cu}_{50}\text{Zr}_{50}$ and $\text{Cu}_{60}\text{Zr}_{40}$, 422
 - the inelastic property of amorphous $\text{Cu}_{50}\text{Zr}_{50}$, 1060
- Initial permeability
- effects of crystallization on the magnetization dynamics of Vitrovac amorphous ribbons, 978
- Insoluble system
- Zr-Y base amorphous alloys with two glass transitions and two supercooled liquid regions, 346
- Instability
- microstructural evolution in a rapidly solidified Al-4mass%Fe droplet, 1156
- Insulation
- effects of insulation and surface roughness on high frequency magnetic properties up to 10 MHz in thin amorphous ribbons, 884
- Interaction parameter
- amorphization in iron-carbon systems with transition metals by mechanical alloying, 1281

- Interdiffusion
 - characteristics of microstructures of Ni-Au and Pd-Au alloy films prepared by an evaporation method, 401
 - interdiffusion in metal/amorphous Si multilayers, 234
- Interdiffusion coefficient
 - interdiffusion in amorphous $\text{Ni}_{65}\text{Ti}_{35}/\text{Ni}_{35}\text{Ti}_{65}$ bilayer film studied by Auger electron spectroscopy, 337
- Interface energy
 - some basic notions on nanostructured solids, 102
- Interfaces
 - thermodynamic, kinetic and structural mechanisms controlling the formation of nanocrystalline Nd-Fe-B materials, 526
 - variation of the interfacial energy with grain size in nanocrystalline materials, 536
- Interfacial energy
 - variation of the interfacial energy with grain size in nanocrystalline materials, 536
- Interfacial reactions
 - interfacial reactions in Ni/amorphous-Si multilayers, 229
- Interference color
 - production of flaky Cu-based amorphous powders by a two-stage quenching technique, and their chemical and optical properties, 1383
- Interference function
 - magnetic properties of Fe-based icosahedral cluster amorphous alloys, 860
- Intermediate state
 - free energy analysis for the phase transition of quasi-crystals and phase diagram of the Al-Cu-Fe system, 762
- Intermetallic compounds
 - a new phase in Al-Ni-Ti alloys made from mechanically alloyed powders, 1202
 - formation of amorphous and metastable phases from the σ phase by ball milling, 1207
 - rapid solidification of cobalt-titanium alloys induced by nanosecond laser pulses, 243
 - structural changes in B2 CoZr compound during amorphization process by mechanical milling, 1330
- Intermetallics
 - mechanically induced atomic disorder and phase transformation in intermetallic compounds, 453
 - ordering of chemically disordered Ni_3Al and Ni_3Ge prepared by mechanical alloying, 390
- Internal friction
 - the observation of mechanical relaxation in a quasicrystalline $\text{Al}_{75}\text{Cu}_{15}\text{V}_{10}$ alloy, 781
- Internal stress distribution
 - the relaxation of internal stresses during annealing of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$, 341
- Invar effect
 - magneto-volume effect of amorphous Fe-(Co,Cr)-Zr alloys, 1001
 - softening of phonon density of states in Fe-based amorphous Invar alloys, 1040
- Inverse melting
 - thermodynamic and kinetic requirements for inverse melting, 31
- Inviscid spinning
 - rapid quenching forming routes for superconducting oxide wire, 1431
- Ion beam mixing
 - metastable phases synthesized by ion beams and thermodynamic interpretation in binary metal systems, 189
- Ion irradiation
 - ion irradiation induced grain growth in nanocrystalline Fe and Fe(Zr), 582
- Iron base alloys
 - rapid solidification of Fe-Ni-Mo alloys, 587
- Iron-based alloy
 - production of flaky Fe-based amorphous powders by a two-stage quenching technique and their magnetic properties, 1161
- Iron-carbon system
 - amorphization in iron-carbon systems with transition metals by mechanical alloying, 1281
- Iron-hafnium-oxygen system
 - sputtered Fe-Hf-O films with high electrical resistivity and good soft magnetic properties, 1020
- Irradiation-enhanced diffusion
 - diffusion in amorphous metallic alloys, 36
- Itinerant spin glass
 - ferromagnetism and spin glass in amorphous Fe-Zr alloys, 856
- Joule heating
 - an exact model of d.c. Joule heating in amorphous metallic ribbons, 361
 - nanocrystalline phase formation in amorphous $\text{Fe}_{73.5}\text{Cu}_1\text{Nb}_3\text{Si}_{13.5}\text{B}_9$ submitted to conventional annealing and Joule heating, 572
- Kauzmann paradox
 - vitrification close to the Kauzmann point of eutectic Au-Pb-Sb alloys, 77
- Kinetics
 - a precipitation study of two rapidly solidified Al-Fe alloys, 323
 - kinetics of the crystallization of amorphous Ti-Ni and Ti-Ni-Si alloys, 641
- Kinetics to equilibrium
 - atomic ordering and structure recovery of non-equilibrium mechanically ground alloy, 320
- L1_2 crystal structure
 - formation of metastable $\text{L1}_2\text{-Al}_3\text{Y}$ through rapid solidification processing, 205
- La addition
 - oxidation resistance of rapidly solidified Fe-Cr-Al ribbons at high temperature, 1104
- Large elongation
 - deformation characteristics of superplastic aluminium alloy produced from amorphous powders, 1064
- Laser processing
 - rapid solidification processing and microstructure formation, 46
- Laser quenching
 - characteristics of an amorphous magnetic alloy layer prepared by laser quenching, and its application to a torque sensor, 1359
 - rapid solidification of cobalt-titanium alloys induced by nanosecond laser pulses, 243
- Lattice constant
 - nitriding of $\text{Nd}_2\text{Fe}_{14}\text{B}$, 408
- Lattice distortion
 - variation in lattice parameters with grain size of a nanophase Ni_3P compound, 541
- Lattice parameter
 - precipitation of $\alpha\text{-Fe}$ and structure for amorphous $\text{Fe}_{74}\text{Cu}_1\text{Nb}_3\text{Si}_x\text{B}_{22-x}$ alloys by annealing, 992
- Laves phase
 - differential thermal analysis of hydrogen-induced amorphization in C15 Laves compounds RCO_2 , 181

- Leaching**
metastable b.c.c. and amorphous Ni produced by mechanical alloying and chemical leaching, 1184
- Leaching treatment**
electrocatalytic behavior of non-equilibrium b.c.c. nickel, 1145
morphology and properties of ultrafine Ni-Fe and Ni-Co alloy particles prepared by leaching amorphous Al-Ni-Fe-Ce and Al-Ni-Co-Ce alloys, 1179
- Liquid metals**
dynamical and structural liquid-glass transition for metallic potassium, 261
- Liquid phase**
microstructural developments in rapidly solidified monotectic alloys, 163
thermal stability in a superplastic $\text{Si}_3\text{N}_{4(p)}/\text{Al-Mg}$ composite, 625
- Local activation energy**
nucleation and growth characteristics of amorphous Fe-Si-B-(Cu)-(Nb) alloys during isothermal crystallization process, 1419
- Local Avrami exponent**
nucleation and growth characteristics of amorphous Fe-Si-B-(Cu)-(Nb) alloys during isothermal crystallization process, 1419
- Local Avrami index**
observation of the crystallization of amorphous Fe-Cu-Si-B alloy by in situ transmission electron microscopy, 386
- Local moment**
thermal expansion anomaly in amorphous Y-Fe spin glasses, 954
- Local ordering**
structural study of $\text{Zr}_{33}\text{Y}_{27}\text{Al}_{15}\text{Ni}_{25}$ amorphous alloys by anomalous X-ray scattering (AXS), 444
- Local structure**
a fluorescence X-ray absorption fine structure study of the effect of small amounts of additives on the formation of the nanocrystalline phase from metallic glass, 469
high resolution electron microscopy of medium-range order in amorphous alloys, 97
- Localized corrosion**
chemical reactivity of amorphous alloys, 142
- Low temperature specific heats**
electronic structure and electron transport properties of amorphous Ca-Al-Ga and Ca-Mg-Ga alloys, 1047
- Magnesium**
high specific strength of extruded Mg-Al-Ge alloys produced by rapid solidification processing, 632
- Magnesium alloy**
structures and properties of rapidly solidified Mg-Ca based alloys, 1410
- Magnesium-aluminium alloy**
microstructure and strength of rapidly solidified magnesium alloys, 712
- Magnetic Curie transition**
an investigation of magnetic properties of $\text{Fe}_{73.5}\text{Cu}_1\text{-Nb}_{3.5}\text{Si}_{13.5}\text{B}_9$ alloys, 997
- Magnetic domain**
improved longitudinal magnetic shielding by an amorphous Fe-Si steel composite panel, 1374
- Magnetic field sensor**
quick-response and sensitive magnetic field sensor using a 200 MHz resonant field effect transistor multivibrator with amorphous wire magnetoinductive elements, 1369
- Magnetic Mn sites**
difference between the magnetic properties of icosahedral and decagonal phases of AlPdMn quasicrystals, 801
- Magnetic materials**
improvement of magnetic properties by addition of tin to amorphous Fe-Si-B alloys with high iron contents, 1351
- Magnetic measurements**
study of the transformation of rapidly quenched $\text{Cr}_{40}\text{Ti}_{60}$, 316
- Magnetic properties**
characteristics of MnAlC rapidly solidified powders, 1355
crystal structure and magnetic properties of a nitrogenated melt-spun $\text{Sm}_2\text{Fe}_{17}$ compound, 1010
crystallization of Fe-Si-B-Ga-Nb amorphous alloy, 521
effect of C, Al and Si additions on the magnetic properties of melt-spun Nd-Fe-B alloys, 1004
effects of induction annealing on the magnetic properties of amorphous alloys, 973
magnetic properties of Fe-V powders produced by mechanical alloying, 1277
method for suppressing surface crystallization in Fe-base amorphous ribbons containing Al, 1346
morphology and properties of ultrafine Ni-Fe and Ni-Co alloy particles prepared by leaching amorphous Al-Ni-Fe-Ce and Al-Ni-Co-Ce alloys, 1179
non-equilibrium phase formation and valence fluctuation in immiscible Ce-Yb alloys produced by mechanical milling and sputtering, 1268
on the nature of the remaining amorphous matrix after nanocrystallization of $\text{Fe}_{77}\text{Si}_{14}\text{B}_9$ with Cu and Nb addition, 1415
short-range structure of amorphous and nanocrystalline Fe-Si-B-Cu-Nb alloys, 473
structural and magnetic properties of nanocrystalline Fe-Si-B alloys produced by mechanical crystallization, 516
structure and magnetic properties of pulse-plated Fe-P and Fe-Cu-P amorphous alloys, 906
thermal and magnetic properties of amorphous magnetic powders produced by comminution process, 986
- Magnetic recording medium**
corrosion behavior of sputter-deposited Co-base alloy films in neutral solutions, 1109
- Magnetic shielding**
improved longitudinal magnetic shielding by an amorphous Fe-Si steel composite panel, 1374
- Magnetic thin film**
microstructure of nanocrystalline b.c.c. Fe-M-B ($\text{M} \equiv \text{Nb, Hf}$) soft magnetic alloys, 495
- Magnetic transition**
heat capacity of metallic glasses Fe-Ni-Zr, Co-Cr-Zr, Pd-Si and Ni-Si-B, 351
- Magnetization curves**
structural and magnetic properties of rapidly quenched $(\text{Sm}_{1-x}\text{Dy}_x)_2\text{Fe}_{17}\text{C}_y$, 1016
- Magnetoelastic effect**
large magnetoelastic effects of amorphous Ce-Fe alloys, 958
- Magnetoresistance**
magnetoresistance and superconducting critical magnetic field of amorphous $\text{Al}_{90}\text{La}_{10}$ and $\text{Al}_{90}\text{Y}_{10}$, 921
- Magnetostriction**
magnetic properties of Fe-Cu-Nb-Si-B nanocrystalline alloys with low magnetostriction, 871
torque sensor using amorphous magnetostrictive ribbons, 1378
- Magnetovolume effect**
thermal expansion anomaly in amorphous Y-Fe spin glasses, 954

- Martensitic transformation
 martensitic transformation of mechanically ground γ' -Fe₄N, 1272
- Massive solidification
 microstructural developments in rapidly solidified monotectic alloys, 163
- Mean square force
 atomistic computer simulation for liquid-glass transition in Zr-Ni alloy, 256
- Mechanical alloying
 a new phase in Al-Ni-Ti alloys made from mechanically alloyed powders, 1202
 a study of the glass-forming range in the ternary Ti-Ni-Al system by mechanical alloying, 168
 amorphization in iron-carbon systems with transition metals by mechanical alloying, 1281
 amorphization of Ti-Zr powders by mechanical alloying in H₂, N₂ and O₂ atmospheres, 1263
 degree of amorphization of mechanically alloyed Fe_{77.5}B₁₅Si_{7.5} powders determined by magnetic measurements, 1296
 effects of ambient temperature and acceleration on various mechanical alloying products: Mg-Al-Zn quasicrystals, Ni-Zr amorphous alloys and amorphous Se, 224
 electrocatalytic behavior of non-equilibrium b.c.c. nickel, 1145
 fabrication of bulk amorphous alloy by rolling of mechanically alloyed Al-Cr powders, 1165
 formation of amorphous Ti-Si powdered alloys and their shock consolidation, 220
 magnetic properties of Fe-V powders produced by mechanical alloying, 1277
 mechanical alloying in the Co-Sn system, 1258
 mechanical alloying in the Fe-Al system, 1217
 mechanically driven CO hydrogenation over NiZr amorphous catalysts, 1085
 metastable b.c.c. and amorphous Ni produced by mechanical alloying and chemical leaching, 1184
 metastable b.c.c. phase formation in the Nb-Cr system, 176
 nanostructured titanium aluminides, 108
 ordering of chemically disordered Ni₃Al and Ni₃Ge prepared by mechanical alloying, 390
 phase transformations in nanocrystalline alloys, 20
 preparation of Fe-Ni-based metal-metalloid amorphous powders by mechanical alloying, 1285
 quasicrystalline characteristics of mechanically alloyed Al₆₅Cu₂₀Fe₁₅ powder, 841
 structural and mechanical properties of fine composites prepared by Ti-Si₃N₄ solid state reactions, 153
 structural evolutions of Ni-Ti systems caused by mechanical alloying in different atmospheres, 215
 studies of Mg-Al-Pd icosahedral quasicrystals and approximant crystals synthesized by the mechanical alloying process, 828
 the amorphous to icosahedral phase transformation in mechanically alloyed Al₇₅Cu₁₅V₁₀ powder, 819
- Mechanical alloys
 effects of the atmosphere on the mechanical alloying process of Al-25at.%Ti mixed powder, 676
- Mechanical grinding
 amorphization of Al-Cr atomized powder by mechanical grinding, 1253
 amorphization of silicon and germanium by mechanical grinding: effect of atmosphere and milling conditions, 1222
 atomic ordering and structure recovery of non-equilibrium mechanically ground alloy, 320
- martensitic transformation of mechanically ground γ' -Fe₄N, 1272
- Mechanical milling
 non-equilibrium phase formation and valence fluctuation in immiscible Ce-Yb alloys produced by mechanical milling and sputtering, 1268
 structural changes in B2 CoZr compound during amorphization process by mechanical milling, 1330
- Mechanical properties
 mechanical properties of a rapidly solidified Al-Si-Ni-Mn alloy, 605
 microstructural and mechanical evaluations of spray-deposited 7XXX Al-alloys after conventional consolidation, 614
 microstructure and strength of rapidly solidified magnesium alloys, 712
 plastic deformation of quasi-crystalline and crystalline phases in Al-Cu-Fe alloys, 777
 structural and mechanical properties of fine composites prepared by Ti-Si₃N₄ solid state reactions, 153
- Mechanical property
 structures and properties of rapidly solidified Mg-Ca based alloys, 1410
- Mechanochemical activation
 mechanically driven CO hydrogenation over NiZr amorphous catalysts, 1085
- Mechanochemistry
 mechanically driven CO hydrogenation over NiZr amorphous catalysts, 1085
- Medium-range ordered cluster
 production and magnetic properties of Fe-B-Si amorphous alloy ribbons: a review, 1435
- Medium-range order
 high resolution electron microscopy of medium-range order in amorphous alloys, 97
- Melt extraction
 fine metallic and ceramic fibers by melt extraction, 158
- Melt overflow process
 effects of thermomechanical processing on titanium aluminide strip cast by the melt overflow process, 645
- Melt process
 high T_c YBa₂Cu₃O_{7- δ} superconductors made by the melt-quench growth process, 1051
- Melt quenching
 high T_c YBa₂Cu₃O_{7- δ} superconductors made by the melt-quench growth process, 1051
- Melt spinning
 crystal structure and magnetic properties of a nitrogenated melt-spun Sm₂Fe₁₇ compound, 1010
 Curie temperatures for amorphous TM_{100-X}Gd_X (TM = Fe, Co; 40 \leq X \leq 60) alloys, 937
 development of high temperature dispersion strengthening in rapidly quenched Al-Ti-X alloys, 619
 effect of C, Al and Si additions on the magnetic properties of melt-spun Nd-Fe-B alloys, 1004
 morphology of melt-spun silicon alloy ribbons, 1243
 numerical simulation of cluster growth during the transient nucleation period, for nucleation temperature evaluation in melt spinning, 1326
 structure and decomposition behaviour of rapidly solidified Mg-Nd-X (X = Al, Si) alloys, 637
 the aging characteristics of rapidly solidified high lithium Al-Li-Mg alloys, 681
- Melting point
 thermal stability in a superplastic Si₃N_{4(p)}/Al-Mg composite, 625

- Metal glass**
distribution of elements in the surface layer of amorphous Al-La-Ni ribbons, 1249
- Metal-matrix composites**
analysis of solidification in the spray atomization process, 1195
- Metal-metalloid bond**
the relationship between the elastic modulus, resistivity and number of metal-metalloid bonds in Fe-Si-B amorphous alloys, 966
- Metallic fibers**
fine metallic and ceramic fibers by melt extraction, 158
- Metallic glass**
easy glass formation in $\text{Mg}_{64}\text{Ni}_{21}\text{Nd}_{15}$ by Bridgman solidification, 628
effect of melt temperature on the electrical resistivity and crystallization temperature of $\text{Al}_{91}\text{La}_5\text{Ni}_4$ and $\text{Al}_{91}\text{Ce}_5\text{Ni}_4$ amorphous alloys, 91
evolution of medium-range order of $\text{Mg}_{0.5}\text{Ni}_{0.3}\text{La}_{0.2}$ metallic glass at a supercooled liquid temperature, 464
structural study of $\text{Zr}_{33}\text{Y}_{27}\text{Al}_{15}\text{Ni}_{25}$ amorphous alloys by anomalous X-ray scattering (AXS), 444
studies of crystallization of sputter-deposited $\text{Fe}_{82}\text{Si}_6\text{B}_{12}$ metallic glass film, 382
time-temperature-transformation diagram of a highly processable metallic glass, 173
- Metallic glass structure**
on the determination of the structure of metallic glasses by reverse Monte Carlo simulation: comparison with hard sphere Monte Carlo results, 433
- Metallic glasses**
a study of the glass-forming range in the ternary Ti-Ni-Al system by mechanical alloying, 168
crystallization of amorphous $\text{Al}_{85}\text{Y}_{10}\text{Ni}_5$ and $\text{Al}_{85}\text{Y}_5\text{Ni}_{10}$ alloys, 506
diffusivity and viscosity during structural relaxation in metallic glasses, 86
molecular dynamics applied to a reverse Monte Carlo configuration for amorphous $\text{Ni}_{81}\text{B}_{19}$, 438
- Metalloid content**
the relationship between the elastic modulus, resistivity and number of metal-metalloid bonds in Fe-Si-B amorphous alloys, 966
- Metastable phase**
formation of metastable phases by the plating method, 193
formation of new phases by chemical leaching of rapidly solidified alloys, 1190
high mechanical strength and strengthening mechanism of aluminum alloys with an ultrafine grain structure, 592
metastable phases synthesized by ion beams and thermodynamic interpretation in binary metal systems, 189
new metastable phases in rapidly solidified Al-Zr and Al-Ti alloys with high solute contents, 1397
- Metastable phase formation**
formation of metastable $\text{L1}_2\text{-Al}_3\text{Y}$ through rapid solidification processing, 205
- Metastable phases**
crystallization behaviour of Al-Sm amorphous alloys, 600
direct measurements of crystal growth velocities in undercooled melts, 147
formation of metastable phases in a spray deposited 2024 aluminium alloy, 249
solidification reactions in undercooled alloys, 52
- Metastable precursors**
metastable b.c.c. phase formation in the Nb-Cr system, 176
- Methanation**
amorphous Fe-valve metal-Pt group metal alloy catalysts for methanation of CO_2 , 1133
- Mg base alloy**
microstructure and mechanical properties of bulk $\text{Mg}_{70}\text{Ca}_{10}\text{Al}_{20}$ alloys produced by extrusion of atomized amorphous powders, 707
- Mg-Al-Zn alloy**
amorphous and quasi-crystalline phases in rapidly solidified Mg-Al-Zn alloys, 1387
- Mg-based amorphous alloys**
recent progress in amorphous metallic materials in Japan, 8
- Mg-based amorphous powder**
new Mg-based amorphous alloys in Mg-Y-misch metal systems, 702
- Mg-Ca alloy**
structures and properties of rapidly solidified Mg-Ca based alloys, 1410
- Mg-Ni-Nd**
diffusion of iron in $\text{Mg}_{60}\text{Ni}_{25}\text{Nd}_{15}$ amorphous alloys with a wide supercooled liquid region, 334
- Mg-Ni-Nd alloys**
easy glass formation in $\text{Mg}_{64}\text{Ni}_{21}\text{Nd}_{15}$ by Bridgman solidification, 628
- Mg-RE(Nd) alloys**
structure and decomposition behaviour of rapidly solidified Mg-Nd-X (X = Al, Si) alloys, 637
- MgZn metallic glasses**
theoretical study of dynamical properties of binary metallic glasses in the harmonic approximation, 1043
- MI elements**
quick-response and sensitive magnetic field sensor using a 200 MHz resonant field effect transistor multivibrator with amorphous wire magnetoinductive elements, 1369
- Microdomains**
decomposition of the supersaturated solid solution in a rapidly solidified hypereutectic Al-Cu alloy, 327
- Microhardness**
interfacial characterization of nanocrystalline alloys, 563
plastic deformation of quasi-crystalline and crystalline phases in Al-Cu-Fe alloys, 777
structure and microhardness of rapidly solidified Al-Cr-RE (RE = La-rich misch metal) alloy, 688
- Microsegregation-free**
microstructural variation in rapidly solidified ribbons of Ag-Cu and Cu-Mn alloys, 1320
- Microstructural evolution**
nanostructured titanium aluminides, 108
- Microstructure**
an investigation on the microstructural stability of rapidly solidified Al-Fe-V-Si alloy ribbon, 412
heat treatment of melt-spun amorphous Fe-Si-B-Cu-Nb alloy, 309
heat treatment of rapidly solidified $\text{Fe}_{63}\text{Cr}_{18}\text{Ti}_4\text{B}_{15}$, 416
mechanical properties of a rapidly solidified Al-Si-Ni-Mn alloy, 605
microstructural characterization of nanocomposite thin films of Ag-SiO₂, Ag-ZnO and Ag-Si, 545
microstructure and strength of rapidly solidified magnesium alloys, 712
microstructure of rapidly solidified Al-7.5Cu-2.5Fe, 665
structural and mechanical properties of fine composites prepared by Ti-Si₃N₄ solid state reactions, 153
structural characteristics of a nanocrystalline Fe-Cu-Nb-Si-B soft magnetic alloy, 1405

- structure and microhardness of rapidly solidified Al-Cr-RE (RE \equiv La-rich misch metal) alloy, 688
- Microstructure formation**
formation of phases and microstructures by rapid solidification processing: an update, 1
- Microstructure relaxation**
microstructural relaxation of amorphous alloy Fe₇₉Si₇B₁₄ during electropulsing, 982
- Milling intensity**
effects of ambient temperature and acceleration on various mechanical alloying products: Mg-Al-Zn quasicrystals, Ni-Zr amorphous alloys and amorphous Se, 224
- Milling powder**
structural and magnetic properties of nanocrystalline Fe-Si-B alloys produced by mechanical crystallization, 516
- Mixture**
phase evolution and formation process of compound during ball milling of Ti-Si powder mixtures, 1212
- MnAlC anisotropic magnet**
characteristics of MnAlC rapidly solidified powders, 1355
- Mode-coupling theory**
dynamical and structural liquid-glass transition for metallic potassium, 261
- Moiré pattern**
characteristics of microstructures of Ni-Au and Pd-Au alloy films prepared by an evaporation method, 401
- Molding**
magnetic properties of Fe-Cu-Nb-Si-B nanocrystalline alloys with low magnetostriction, 871
- Molecular dynamics**
atomistic computer simulation for liquid-glass transition in Zr-Ni alloy, 256
molecular dynamics applied to a reverse Monte Carlo configuration for amorphous Ni₈₁B₁₉, 438
- Molecular dynamics simulation**
diffusion in amorphous metallic alloys, 36
- Morphology**
morphology of melt-spun silicon alloy ribbons, 1243
- Mössbauer effect**
magnetic properties of Fe-based icosahedral cluster amorphous alloys, 860
- Mössbauer spectroscopy**
dynamic temperature resistometry analysis of rapidly quenched Fe₈₆B₁₄ alloy and its correlated study by Mössbauer spectroscopy and scanning electron microscopy, 376
interfacial characterization of nanocrystalline alloys, 563
microstructural relaxation of amorphous alloy Fe₇₉Si₇B₁₄ during electropulsing, 982
nitriding of Nd₂Fe₁₄B, 408
the formation of nanostructured materials by consolidating ultrafine amorphous alloy particles prepared by chemical reduction, 577
- Multi-layered thin films**
composite anisotropy multilayers based on amorphous CoNbZr/SiO₂, 1030
- Multilayers**
growth dynamics of fractal Ge clusters during crystallization of amorphous phase on polycrystalline Au layer, 355
interdiffusion in metal/amorphous Si multilayers, 234
interfacial reactions in Ni/amorphous-Si multilayers, 229
- Nano-granular alloys**
giant magnetoresistance of Cu-Co-X alloys produced by liquid quenching, 888
- Nano-scale grain structure**
sputtered Fe-Hf-O films with high electrical resistivity and good soft magnetic properties, 1020
- Nanocomposite**
microstructural characterization of nanocomposite thin films of Ag-SiO₂, Ag-ZnO and Ag-Si, 545
- Nanocrystalline alloys**
interfacial characterization of nanocrystalline alloys, 563
nucleation and growth characteristics of amorphous Fe-Si-B-(Cu)-(Nb) alloys during isothermal crystallization process, 1419
origin of high permeability of nanocrystalline Fe-Cu-Nb-Si-B soft magnetic alloys, 880
phase transformations in nanocrystalline alloys, 20
some basic notions on nanostructured solids, 102
- Nanocrystalline FeSiBNbCu**
on the nature of the remaining amorphous matrix after nanocrystallization of Fe₇₇Si₁₄B₉ with Cu and Nb addition, 1415
- Nanocrystalline materials**
a universal model for solid state amorphization of nanosized and supersaturated crystals, 491
formation of amorphous and metastable phases from the σ phase by ball milling, 1207
heat treatment of melt-spun amorphous Fe-Si-B-Cu-Nb alloy, 309
short-range structure of amorphous and nanocrystalline Fe-Si-B-Cu-Nb alloys, 473
- Nanocrystalline Ni**
thermal stability of nanocrystalline nickel electrodeposits: differential scanning calorimetry, transmission electron microscopy and magnetic studies, 531
- Nanocrystalline phase**
formation of amorphous Ti-Si powdered alloys and their shock consolidation, 220
magnetic properties and core losses of nanocrystalline Fe-M-B (M \equiv Zr, Hf or Nb) alloys, 127
the role of boron in nanocrystalline Fe-Zr-B soft magnetic alloys, 501
- Nanocrystalline state**
microstructure of nanocrystalline b.c.c. Fe-M-B (M \equiv Nb, Hf) soft magnetic alloys, 495
- Nanocrystallinity**
an investigation of magnetic properties of Fe_{73.5}Cu₁Nb₃Si_{13.5}B₉ alloys, 997
high mechanical strength and strengthening mechanism of aluminum alloys with an ultrafine grain structure, 592
magnetic field induced anisotropy in nanocrystalline Fe-Cu-Nb-Si-B alloys, 876
magnetic properties and microstructure of V-and-M-added, Fe₃B-based, Nd-Fe-B nanocrystalline permanent magnets (M \equiv Al, Si), 868
microstructural change upon annealing in Fe-Zr-B alloys with different boron contents, 552
structural characteristics of a nanocrystalline Fe-Cu-Nb-Si-B soft magnetic alloy, 1405
the formation of nanostructured materials by consolidating ultrafine amorphous alloy particles prepared by chemical reduction, 577
- Nanocrystallization**
on the nature of the remaining amorphous matrix after nanocrystallization of Fe₇₇Si₁₄B₉ with Cu and Nb addition, 1415
- Nanocrystals**
a fluorescence X-ray absorption fine structure study of the effect of small amounts of additives on the formation of the nanocrystalline phase from metallic glass, 469
a study of the glass-forming range in the ternary Ti-Ni-Al system by mechanical alloying, 168
formation of nuclei of metastable phases in nanocrystalline materials, 557

- high-resolution electron microscopy study of microstructural changes in magnetic Fe-Nb-B films in the course of annealing, 487
- ion irradiation induced grain growth in nanocrystalline Fe and Fe(Zr), 582
- nanocrystalline phase formation in amorphous $\text{Fe}_{73.5}\text{Cu}_1\text{-Nb}_3\text{Si}_{13.5}\text{B}_9$ submitted to conventional annealing and Joule heating, 572
- structural and magnetic properties of nanocrystalline Fe-Si-B alloys produced by mechanical crystallization, 516
- study of the transformation of rapidly quenched $\text{Cr}_{40}\text{Ti}_{60}$, 316
- thermodynamic, kinetic and structural mechanisms controlling the formation of nanocrystalline Nd-Fe-B materials, 526
- variation of the interfacial energy with grain size in nanocrystalline materials, 536
- Nanoparticles**
microstructural development in rapidly solidified Ti-Ni alloys, 198
- Nanophase Ni_3P**
variation in lattice parameters with grain size of a nanophase Ni_3P compound, 541
- Nanoscale Al particle**
formation and mechanical properties of amorphous Al-Ni-Nd alloys, 649
- Nanoscale icosahedral particle**
high mechanical strengths of rapidly solidified $\text{Al}_{93}\text{Mn}_5\text{Ce}_1\text{M}_1$ ($\text{M} \equiv$ transition metal) alloys containing nanoscale quasicrystalline phase as a main component, 845
- Nanoscale icosahedral phase**
formation of coexistent icosahedral and f.c.c.-Al phases in rapidly solidified Al-Ce-M-Si ($\text{M} \equiv$ transition metal) alloys and their mechanical strengths, 659
- Nanosized materials**
small-angle neutron scattering studies of nanosized amorphous Si-Au alloys, 458
- Nanostructures**
formation of new phases by chemical leaching of rapidly solidified alloys, 1190
nanostructured titanium aluminides, 108
- Nanostructured Al alloy**
fabrication and novel properties of nanostructured Al base alloys, 57
- Nb-Cr**
metastable b.c.c. phase formation in the Nb-Cr system, 176
- Nd-Fe**
photoemission study of electronic structures of Nd-Fe and Nd-Fe-B alloy glasses, 932
- Nd-Fe-B**
microstructural studies of Nd-Fe-B powders produced by gas atomization, 1232
photoemission study of electronic structures of Nd-Fe and Nd-Fe-B alloy glasses, 932
- Neodymium-iron-boron**
effect of C, Al and Si additions on the magnetic properties of melt-spun Nd-Fe-B alloys, 1004
- Neutron depolarization**
the relaxation of internal stresses during annealing of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$, 341
- Neutrons**
structure studies by X-ray and neutron diffraction: how accurate are they?, 17
- New synthesis method**
morphology and properties of ultrafine Ni-Fe and Ni-Co alloy particles prepared by leaching amorphous Al-Ni-Fe-Ce and Al-Ni-Co-Ce alloys, 1179
- Ni-Al alloys**
metastable b.c.c. and amorphous Ni produced by mechanical alloying and chemical leaching, 1184
- Ni-P alloy**
variation of the interfacial energy with grain size in nanocrystalline materials, 536
- Ni-Ti alloy**
the corrosion behaviour of sputter-deposited amorphous Ni-Ti alloys in 1 M HCl, 1128
- Ni-Ti system**
interdiffusion in amorphous $\text{Ni}_{65}\text{Ti}_{35}/\text{Ni}_{35}\text{Ti}_{65}$ bilayer film studied by Auger electron spectroscopy, 337
- Ni-Ti systems**
structural evolutions of Ni-Ti systems caused by mechanical alloying in different atmospheres, 215
- NiAl powder**
transmission electron microscopy characterization of mechanically alloyed NiAl powder and hot-pressed product, 1169
- Nickel base alloy**
formation of non-equilibrium b.c.c. phase with high tensile strength in Ni-Al-Zr system by rapid solidification, 1072
- Nickel compounds**
ordering of chemically disordered Ni_3Al and Ni_3Ge prepared by mechanical alloying, 390
- NiTi₂ compound**
a new phase in Al-Ni-Ti alloys made from mechanically alloyed powders, 1202
- NO_x decomposition**
metastable metals for "green" materials for global atmosphere conservation and abundant energy supply, 27
- Non-equilibrium b.c.c. phase**
formation of non-equilibrium b.c.c. phase with high tensile strength in Ni-Al-Zr system by rapid solidification, 1072
- Non-equilibrium phases**
atomic ordering and structure recovery of non-equilibrium mechanically ground alloy, 320
non-equilibrium phase formation and valence fluctuation in immiscible Ce-Yb alloys produced by mechanical milling and sputtering, 1268
- Non-equilibrium phase powder**
microstructure and mechanical properties of bulk $\text{Mg}_{70}\text{Ca}_{10}\text{Al}_{20}$ alloys produced by extrusion of atomized amorphous powders, 707
- Non-magnetic metallic glass**
temperature dependence of thermopower in non-magnetic metallic glasses, 926
- Nuclear magnetic resonance**
nuclear magnetic resonance study of new strong magnetism in quasicrystalline Al-Pd-Mn-B alloys, 798
- Nucleation**
analysis of solidification in the spray atomization process, 1195
crystallization of metallic glasses, 41
do electrons stabilize the metastable state of undercooled metallic melts?, 1055
formation of nuclei of metastable phases in nanocrystalline materials, 557
modelling of non-equilibrium crystallization and transformation diagrams, 288
nucleation and growth characteristics of amorphous Fe-Si-B-(Cu)-(Nb) alloys during isothermal crystallization process, 1419
numerical simulation of cluster growth during the transient nucleation period, for nucleation temperature evaluation in melt spinning, 1326

- phase selection in undercooled melts of Al-Cu-Co and Al-Cu-Fe quasi-crystal-forming alloys, 766
- solidification reactions in undercooled alloys, 52
- Nucleation and crystal growth
thermodynamic, kinetic and structural mechanisms controlling the formation of nanocrystalline Nd-Fe-B materials, 526
- Numerical analysis
microstructural evolution in a rapidly solidified Al-4mass%Fe droplet, 1156
- Orbital electronegativity
prediction of amorphous formation in binary transition metal alloys, 238
- Ordering
ordering of chemically disordered Ni_3Al and Ni_3Ge prepared by mechanical alloying, 390
- Origin of high permeability
origin of high permeability of nanocrystalline Fe-Cu-Nb-Si-B soft magnetic alloys, 880
- Oxidation
new amorphous alloys resistant to high temperature corrosion, 1099
- Oxidation resistance
oxidation resistance of rapidly solidified Fe-Cr-Al ribbons at high temperature, 1104
- Oxide superconductor
high T_c $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ superconductors made by the melt-quench growth process, 1051
- Oxygen content
consolidation and mechanical properties of atomized Mg-based amorphous powders, 112
- Pack rolling
effects of thermomechanical processing on titanium aluminide strip cast by the melt overflow process, 645
- Pair density function
structure studies by X-ray and neutron diffraction: how accurate are they?, 17
- Passivation
effect of phosphorus on the passivation behavior of amorphous Fe-8Cr-13P-7C alloy in 9M H_2SO_4 solution, 1119
- Passivity
chemical reactivity of amorphous alloys, 142
- Pd-Si
local atomic structural changes on structural relaxation in a $\text{Pd}_{82}\text{Si}_{18}$ amorphous alloy, 479
- Penrose lattice
electronic transport of a two-dimensional Penrose lattice with random phase strain, 726
- Percolation
high electrical resistivity behaviour of Fe- and Co-based soft magnetic heterogeneous alloys, 897
- Perfect crystallinity
fabrication and novel properties of nanostructured Al base alloys, 57
- Permanent magnet
structural and magnetic properties of rapidly quenched $(\text{Sm}_{1-x}\text{Dy}_x)_2\text{Fe}_{17}\text{C}_y$, 1016
- Permeability
effects of insulation and surface roughness on high frequency magnetic properties up to 10 MHz in thin amorphous ribbons, 884
- precipitation of α -Fe and structure for amorphous $\text{Fe}_{74}\text{Cu}_1\text{Nb}_3\text{Si}_x\text{B}_{22-x}$ alloys by annealing, 992
- Petal-like morphology
formation of coexistent icosahedral and f.c.c.-Al phases in rapidly solidified Al-Ce-M-Si (M = transition metal) alloys and their mechanical strengths, 659
- Phase diagram
formation of metastable phases by the plating method, 193
- Phase formation
formation of phases and microstructures by rapid solidification processing: an update, 1
- Phase restoration
mechanically induced atomic disorder and phase transformation in intermetallic compounds, 453
- Phase selection
phase selection in undercooled melts of Al-Cu-Co and Al-Cu-Fe quasi-crystal-forming alloys, 766
- Phase separation
characteristics of microstructures of Ni-Au and Pd-Au alloy films prepared by an evaporation method, 401
- microstructural change upon annealing in Fe-Zr-B alloys with different boron contents, 552
- Phase transformations
an investigation on the microstructural stability of rapidly solidified Al-Fe-V-Si alloy ribbon, 412
- a precipitation study of two rapidly solidified Al-Fe alloys, 323
- computer studies of a phase transition of icosahedral quasi-crystals, 758
- crystallization kinetics and specific heat of $\text{Cu}_{60}\text{Zr}_{40}$ glassy alloy, 1427
- formation of amorphous and metastable phases from the σ phase by ball milling, 1207
- mechanically induced atomic disorder and phase transformation in intermetallic compounds, 453
- phase transformations in nanocrystalline alloys, 20
- quasicrystallization characteristics of mechanically alloyed $\text{Al}_{65}\text{Cu}_{20}\text{Fe}_{15}$ powder, 841
- structure transformations of quasicrystalline phases in quaternary alloys, 823
- Phason flips
Ammann bars and phason flips in quasicrystals, 746
- Phason relaxation
the observation of mechanical relaxation in a quasicrystalline $\text{Al}_{75}\text{Cu}_{15}\text{V}_{10}$ alloy, 781
- Phason strain
approaches to an icosahedral glass model for the icosahedral phase formed by transition from the amorphous state, 750
- Phasons
real space analysis of phason disorders in decagonal quasi-crystals, 742
- Photoemission spectroscopy
photoemission study of electronic structures of Nd-Fe and Nd-Fe-B alloy glasses, 932
- Planar flow casting
microstructural effects of ultrasonic vibrations applied during planar flow casting of steels, 1305
- rapid solidification processing and microstructure formation, 46
- theoretical expectation of strip thickness in planar flow casting process, 1237
- Plating
formation of metastable phases by the plating method, 193
- Poisson ratio
large magnetoelastic effects of amorphous Ce-Fe alloys, 958
- Positive Hall coefficient
d-electron contributions to the positive Hall coefficient of disordered metals, 911

- Positron annihilation
structural characteristics of a nanocrystalline Fe-Cu-Nb-Si-B soft magnetic alloy, 1405
- Powder metallurgy
structures and properties of rapidly solidified Mg-Ca based alloys, 1410
thermomechanical processing and superplastic behaviour in aluminium-based alloys produced from amorphous or nanocrystalline powders, 1068
- Powders
solidification reactions in undercooled alloys, 52
- Preferred orientation
crystallinity of rapidly solidified Ti-Ni-Cu alloy, 1317
- Pressure effect
the pressure effect on Au diffusion in amorphous $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{20}$, 270
- 2-Propanol dehydration
dehydration of 2-propanol over Cu-Ti metallic glasses: effect of pretreatments and reaction on the structure and surface properties, 1095
- Pseudo-gap
electronic structure and transport properties in quasi-crystals, 118
pseudo-gaps in crystalline and quasicrystalline alloys, 717
- Quantum corrections
magnetoresistance and superconducting critical magnetic field of amorphous $\text{Al}_{90}\text{La}_{10}$ and $\text{Al}_{90}\text{Y}_{10}$, 921
- Quasicrystalline phase
effects of ambient temperature and acceleration on various mechanical alloying products: Mg-Al-Zn quasicrystals, Ni-Zr amorphous alloys and amorphous Se, 224
- Quasicrystallization
quasicrystallization characteristics of mechanically alloyed $\text{Al}_{65}\text{Cu}_{20}\text{Fe}_{15}$ powder, 841
the amorphous to icosahedral phase transformation in mechanically alloyed $\text{Al}_{75}\text{Cu}_{15}\text{V}_{10}$ powder, 819
- Quasicrystals
Ammann bars and phason flips in quasicrystals, 746
atomic packing geometries and lattice properties of a model decagonal phase, 833
convergent-beam electron diffraction and electron microscope study of decagonal quasicrystals of Al-Cu-Co and Al-Co alloys, 805
electrical conductivity and Hall effect of Al-Cu-Ru and Al-Cu-Fe quasi-crystals, 794
electrochemical behavior of a quasi-crystalline Al-Pd-Mn alloy in a chloride-containing solution, 1141
electronic structure and electron transport properties of Mg-Al-Pd quasicrystals and approximant crystals, 785
electronic structure and transport properties in quasi-crystals, 118
electronic structure, magnetic properties and electron transport in $\text{Al}_{82.6-x}\text{Mn}_{17.4}\text{Si}_x$ ($4 \leq x \leq 16$) quasicrystals and approximant crystals, 730
electronic transport of a two-dimensional Penrose lattice with random phason strain, 726
free energy analysis for the phase transition of quasi-crystals and phase diagram of the Al-Cu-Fe system, 762
microstructure of rapidly solidified Al-7.5Cu-2.5Fe, 665
nuclear magnetic resonance study of new strong magnetism in quasicrystalline Al-Pd-Mn-B alloys, 798
phase selection in undercooled melts of Al-Cu-Co and Al-Cu-Fe quasi-crystal-forming alloys, 766
plastic deformation of quasi-crystalline and crystalline phases in Al-Cu-Fe alloys, 777
quasicrystalline phases in alloys of Al-Cu-Co-Fe obtained with a gravity chill-casting technique, 837
rational approximants to the decagonal phase in Al-Mn-M ($M \equiv \text{Ni}, \text{Cu}, \text{Zn}$) systems, 754
solution thermodynamic behaviour of quasicrystalline-structure-forming alloy systems, 771
structure transformations of quasicrystalline phases in quaternary alloys, 823
studies of Mg-Al-Pd icosahedral quasicrystals and approximant crystals synthesized by the mechanical alloying process, 828
study of the electronic structure and electron transport properties of Al-Cu-Ru quasicrystals, 790
the observation of mechanical relaxation in a quasicrystalline $\text{Al}_{75}\text{Cu}_{15}\text{V}_{10}$ alloy, 781
towards applications of quasicrystals, 122
- Quasicrystals and crystals
pseudo-gaps in crystalline and quasicrystalline alloys, 717
- Quaternary alloys
quasicrystalline phases in alloys of Al-Cu-Co-Fe obtained with a gravity chill-casting technique, 837
structure transformations of quasicrystalline phases in quaternary alloys, 823
- Random phason
electronic transport of a two-dimensional Penrose lattice with random phason strain, 726
- Rapid quenching
mechanical damping of rapidly quenched Ti-Ni-Cu alloys, 1076
rapid quenching forming routes for superconducting oxide wire, 1431
- Rapid solidification
amorphous and quasi-crystalline phases in rapidly solidified Mg-Al-Zn alloys, 1387
crystallinity of rapidly solidified Ti-Ni-Cu alloy, 1317
decomposition of the supersaturated solid solution in a rapidly solidified hypereutectic Al-Cu alloy, 327
development of high temperature dispersion strengthening in rapidly quenched Al-Ti-X alloys, 619
direct measurements of crystal growth velocities in undercooled melts, 147
formation of coexistent icosahedral and f.c.c.-Al phases in rapidly solidified Al-Ce-M-Si ($M \equiv$ transition metal) alloys and their mechanical strengths, 659
formation of metastable $\text{L}_{12}\text{-Al}_3\text{Y}$ rapid solidification processing, 205
formation of metastable phases in a spray deposited 2024 aluminium alloy, 249
formation of new phases by chemical leaching of rapidly solidified alloys, 1190
formation of non-equilibrium b.c.c. phase with high tensile strength in Ni-Al-Zr system by rapid solidification, 1072
formation of phases and microstructures by rapid solidification processing: an update, 1
high mechanical strength and strengthening mechanism of aluminum alloys with an ultrafine grain structure, 592
high mechanical strengths of rapidly solidified $\text{Al}_{93}\text{Mn}_5\text{Ce}_1\text{M}_1$ ($M \equiv$ transition metal) alloys containing nanoscale quasicrystalline phase as a main component, 845
high specific strength of extruded Mg-Al-Ge alloys produced by rapid solidification processing, 632
lamellar eutectics: a comparison of three models valid at high growth rates, 1392
magnetic properties and microstructure of V-and-M-added, Fe_3B -based, Nd-Fe-B nanocrystalline permanent magnets ($M \equiv \text{Al}, \text{Si}$), 868
magnetic properties of Al-Pd-Mn-B quasi-crystals with high magnetization, 734

- microstructural development in rapidly solidified Ti-Ni alloys, 198
- microstructural developments in rapidly solidified monotectic alloys, 163
- microstructural effects of ultrasonic vibrations applied during planar flow casting of steels, 1305
- microstructural variation in rapidly solidified ribbons of Ag-Cu and Cu-Mn alloys, 1320
- microstructure and solidification analysis of melt-spun Al-Ti and Al-Ti-B alloys, 669
- microstructure and strength of rapidly solidified magnesium alloys, 712
- microstructure of rapidly solidified Al-7.5Cu-2.5Fe, 665
- new metastable phases in rapidly solidified Al-Zr and Al-Ti alloys with high solute contents, 1397
- rapid solidification of Fe-Ni-Mo alloys, 587
- rational approximants to the decagonal phase in Al-Mn-M ($M \equiv \text{Ni, Cu, Zn}$) systems, 754
- structure and microhardness of rapidly solidified Al-Cr-RE (RE \equiv La-rich misch metal) alloy, 688
- structures and properties of rapidly solidified Mg-Ca based alloys, 1410
- the effect of Cu addition on the structure and mechanical properties of Al-Ni-M ($M \equiv \text{Ce or Nd}$) amorphous alloys containing nanoscale f.c.c.-Al particles, 654
- thermomechanical processing and superplastic behaviour in aluminium-based alloys produced from amorphous or nanocrystalline powders, 1068
- Rapid solidification process
 - an investigation on the microstructural stability of rapidly solidified Al-Fe-V-Si alloy ribbon, 412
- Rapidly quenched material
 - structural and magnetic properties of rapidly quenched $(\text{Sm}_{1-x}\text{Dy}_x)_2\text{Fe}_{17}\text{C}_y$, 1016
- Rapidly solidified Al alloy
 - mechanical properties of a rapidly solidified Al-Si-Ni-Mn alloy, 605
- Rapidly solidified wire
 - optimum chemical composition for high strength in Fe-Ni-Cr-Si-C wires produced by melt spinning into rotating water, 1340
- Rare earth elements
 - magnetostriction and coercivity of Fe-Co-RE alloys prepared by a high rate sputtering method, 962
- Rare-earth metal
 - differential thermal analysis of hydrogen-induced amorphization in C15 Laves compounds RCO_2 , 181
- Rational approximant
 - rational approximants to the decagonal phase in Al-Mn-M ($M \equiv \text{Ni, Cu, Zn}$) systems, 754
- Rayleigh waves
 - elastic properties of amorphous thin films studied using Rayleigh waves, 137
- Re-entrant spin glass
 - ferromagnetism and spin glass in amorphous Fe-Zr alloys, 856
 - magnetism of amorphous transition metals and alloys, 62
- Recalescence
 - solidification reactions in undercooled alloys, 52
- Relaxation
 - structural enthalpy relaxation in the glass transition range, 283
- Relaxation enthalpy
 - reversible structural relaxation in Fe-B-Si amorphous alloys, 279
- Relaxation time
 - the observation of mechanical relaxation in a quasicrystalline $\text{Al}_{75}\text{Cu}_{15}\text{V}_{10}$ alloy, 781
- Resistance minimum
 - high electrical resistivity behaviour of Fe- and Co-based soft magnetic heterogeneous alloys, 897
- Resistivity
 - electrical resistivity and thermoelectric power of $\text{Fe}_{91}\text{Zr}_9$, 1035
 - indications of effects of photon-roton states on electronic transport, 916
 - the relationship between the elastic modulus, resistivity and number of metal-metalloid bonds in Fe-Si-B amorphous alloys, 966
- Reverse Monte Carlo configuration
 - molecular dynamics applied to a reverse Monte Carlo configuration for amorphous $\text{Ni}_{81}\text{B}_{19}$, 438
- Reversible change
 - reversible structural relaxation in Fe-B-Si amorphous alloys, 279
- Rhomb unit structure model
 - the relationship between the elastic modulus, resistivity and number of metal-metalloid bonds in Fe-Si-B amorphous alloys, 966
- Rotating water atomization
 - formation of new phases by chemical leaching of rapidly solidified alloys, 1190
- Rotation magnetization
 - torque sensor using amorphous magnetostrictive ribbons, 1378
- Roton-like dispersions
 - theoretical study of dynamical properties of binary metallic glasses in the harmonic approximation, 1043
- RT curve
 - dynamic temperature resistometry analysis of rapidly quenched $\text{Fe}_{86}\text{B}_{14}$ alloy and its correlated study by Mössbauer spectroscopy and scanning electron microscopy, 376
- Rutherford backscattering
 - a comparison of the approach to equilibrium of the viscosity and diffusivity of Pd-Si-based amorphous metals, 265
- Scaling laws
 - modelling of non-equilibrium crystallization and transformation diagrams, 288
- Scanning electron microscopy
 - dynamic temperature resistometry analysis of rapidly quenched $\text{Fe}_{86}\text{B}_{14}$ alloy and its correlated study by Mössbauer spectroscopy and scanning electron microscopy, 376
- Self-diffusion
 - diffusion in amorphous metallic alloys, 36
 - self-diffusion of manganese in Al-Pd-Mn icosahedral quasicrystals, 738
- Semiconductor-metal interface
 - metal-contact-induced crystallization of semiconductors, 426
- Shape memory alloy
 - crystallinity of rapidly solidified Ti-Ni-Cu alloy, 1317
 - mechanical damping of rapidly quenched Ti-Ni-Cu alloys, 1076
- Shape memory effect
 - mechanical damping of rapidly quenched Ti-Ni-Cu alloys, 1076
- Shock consolidation
 - formation of amorphous Ti-Si powdered alloys and their shock consolidation, 220

- Short-range order
elastic properties of amorphous thin films studied using Rayleigh waves, 137
- Short-range structure
short-range structure of amorphous and nanocrystalline Fe-Si-B-Cu-Nb alloys, 473
- Silicon
amorphization of silicon and germanium by mechanical grinding: effect of atmosphere and milling conditions, 1222
morphology of melt-spun silicon alloy ribbons, 1243
- Silicon effect
new amorphous alloys resistant to high temperature corrosion, 1099
- Single quasicrystal
mechanical properties and deformation behaviour of large $\text{Al}_{70}\text{Pd}_{20}\text{Mn}_{10}$ single quasi-crystals, 850
- Single-roller method
magnetic properties of metastable h.c.p. samarium, 864
oxidation resistance of rapidly solidified Fe-Cr-Al ribbons at high temperature, 1104
- Single-roller process
new casting technique for a wide ribbon in a single-roller process, 1310
- Site energy
atomistic computer simulation for liquid-glass transition in Zr-Ni alloy, 256
- $\text{Sm}_2\text{Fe}_{17}$ compound
crystal structure and magnetic properties of a nitrogenated melt-spun $\text{Sm}_2\text{Fe}_{17}$ compound, 1010
- Small-angle neutron scattering
small-angle neutron scattering studies of nanosized amorphous Si-Au alloys, 458
- Small-angle X-ray scattering
evolution of medium-range order of $\text{Mg}_{0.5}\text{Ni}_{0.3}\text{La}_{0.2}$ metallic glass at a supercooled liquid temperature, 464
- Sn addition
method for suppressing surface crystallization in Fe-base amorphous alloy ribbons containing Al, 1346
- Soft magnetic alloys
recent progress in amorphous metallic materials in Japan, 8
- Soft magnetic film
high-resolution electron microscopy study of microstructural changes in magnetic Fe-Nb-B films in the course of annealing, 487
- Soft magnetic material
origin of high permeability of nanocrystalline Fe-Cu-Nb-Si-B soft magnetic alloys, 880
- Soft magnetic properties
magnetic properties and core losses of nanocrystalline Fe-M-B ($\text{M} \equiv \text{Zr, Hf or Nb}$) alloys, 127
soft magnetic properties of Co-based heterogeneous amorphous alloys with high electrical resistivity, 892
soft magnetic properties of ultrathin Fe-based amorphous alloy cores, 902
the role of boron in nanocrystalline Fe-Zr-B soft magnetic alloys, 501
- Soft magnetic property
microstructure of nanocrystalline b.c.c. Fe-M-B ($\text{M} \equiv \text{Nb, Hf}$) soft magnetic alloys, 495
precipitation of α -Fe and structure for amorphous $\text{Fe}_{74}\text{Cu}_1\text{Nb}_3\text{Si}_x\text{B}_{22-x}$ alloys by annealing, 992
production of nanocrystalline b.c.c. Fe-Nb-B bulk alloys by warm extrusion and their magnetic properties, 511
soft magnetic properties of fine crystalline Fe-BN and Fe-BN-O films, 1025
- Soft magnetism
composite anisotropy multilayers based on amorphous CoNbZr/SiO₂, 1030
- Soft X-ray spectroscopy
electronic structure and electron transport properties of Al-Cu-Y and Mg-Cu-Y amorphous alloys, 132
electronic structure, magnetic properties and electron transport in $\text{Al}_{82.6-x}\text{Mn}_{17.4}\text{Si}_x$ ($4 \leq x \leq 16$) quasicrystals and approximant crystals, 730
pseudo-gaps in crystalline and quasicrystalline alloys, 717
- Solid solutions
mechanical alloying in the Fe-Al system, 1217
- Solid state amorphization
a universal model for solid state amorphization of nanosized and supersaturated crystals, 491
thermodynamic and kinetic requirements for inverse melting, 31
- Solid state reaction
interdiffusion in metal/amorphous Si multilayers, 234
structural and mechanical properties of fine composites prepared by Ti-Si₃N₄ solid state reactions, 153
- Solidification
analysis of solidification in the spray atomization process, 1195
modelling of non-equilibrium crystallization and transformation diagrams, 288
numerical simulation of cluster growth during the transient nucleation period, for nucleation temperature evaluation in melt spinning, 1326
- Solidification modelling
heat flow in spray-formed Al-4Cu, 72
- Solute trapping
rapid solidification processing and microstructure formation, 46
- Solution thermodynamics
solution thermodynamic behaviour of quasicrystalline-structure-forming alloy systems, 771
- Space group
convergent-beam electron diffraction and electron microscope study on decagonal quasicrystals of Al-Cu-Co and Al-Co alloys, 805
- sp-d hybridization
electronic structure in a model of decagonal AlCuCo approximant, 722
- Specific heat
crystallization kinetics and specific heat of $\text{Cu}_{60}\text{Zr}_{40}$ glassy alloy, 1427
heat capacity of metallic glasses Fe-Ni-Zr, Co-Cr-Zr, Pd-Si and Ni-Si-B, 351
- Spectroscopic splitting factor
spin wave stiffness constant of amorphous $(\text{Co}_{1-x}\text{Ni}_x)_{75}\text{-Si}_{10}\text{B}_{15}$ alloys, 941
- Spin fluctuation
spin fluctuation in amorphous Y-Ni alloys, 950
- Spin glass
difference between the magnetic properties of icosahedral and decagonal phases of AlPdMn quasicrystals, 801
magnetic properties of Fe-based icosahedral cluster amorphous alloys, 860
magnetism of amorphous transition metals and alloys, 62
- Spring glass thermal expansion
thermal expansion anomaly in amorphous Y-Fe spin glasses, 954
- Spin-orbit interaction
magnetoresistance and superconducting critical magnetic field of amorphous $\text{Al}_{90}\text{La}_{10}$ and $\text{Al}_{90}\text{Y}_{10}$, 921

- Spin wave stiffness constant
 spin wave stiffness constant of amorphous $(\text{Co}_{1-x}\text{Ni}_x)_{75}\text{-Si}_{10}\text{B}_{15}$ alloys, 941
- Splat quenching
 metastable b.c.c. phase formation in the Nb-Cr system, 176
- Spontaneous vitrification
 study of the transformation of rapidly quenched $\text{Cr}_{40}\text{Ti}_{60}$, 316
- Spray atomization
 analysis of solidification in the spray atomization process, 1195
 solid solution of Cu in (Al-Cu)- SiC_p metal matrix composites processed by spray atomization and codeposition, 609
- Spray deposition
 formation of metastable phases in a spray deposited 2024 aluminium alloy, 249
- Spray forming
 heat flow in spray-formed Al-4Cu, 72
- Sputter deposition
 magnetostriction and coercivity of Fe-Co-RE alloys prepared by a high rate sputtering method, 962
 new amorphous alloys resistant to high temperature corrosion, 1099
 the corrosion behaviour of sputter-deposited amorphous Ni-Ti alloys in 1 M HCl, 1128
- Sputtered film
 corrosion behavior of sputter-deposited Co-base alloy films in neutral solutions, 1109
 sputtered Fe-Hf-O films with high electrical resistivity and good soft magnetic properties, 1020
- Sputtering
 non-equilibrium phase formation and valence fluctuation in immiscible Ce-Yb alloys produced by mechanical milling and sputtering, 1268
 soft magnetic properties of fine crystalline Fe-BN and Fe-BN-O films, 1025
- Stability
 thermal properties and crystallization kinetics of new fluoride glasses, 303
- Stability formation range
 icosahedral and decagonal quasicrystals in the Al-Pd-Mg system, 811
- Stokes-Einstein
 a comparison of the approach to equilibrium of the viscosity and diffusivity of Pd-Si-based amorphous metals, 265
- Strength
 plastic deformation of quasi-crystalline and crystalline phases in Al-Cu-Fe alloys, 777
- Strengthening
 optimum chemical composition for high strength in Fe-Ni-Cr-Si-C wires produced by melt spinning into rotating water, 1340
- Stress exponent
 deformation characteristics of a superplastic aluminium alloy produced from amorphous powders, 1064
- Strip thickness
 theoretical expectation of strip thickness in planar flow casting process, 1237
- Structural change
 local atomic structural changes on structural relaxation in a $\text{Pd}_{82}\text{Si}_{18}$ amorphous alloy, 479
 structural changes in B2 CoZr compound during amorphization process by mechanical milling, 1330
- Structural gradient
 functionally graded Al-Zr-based amorphous alloys, 1300
- Structural relaxation
 a comparison of the approach to equilibrium of the viscosity and diffusivity of Pd-Si-based amorphous metals, 265
 diffusivity and viscosity during structural relaxation in metallic glasses, 86
 effects of passing electric current on the structural relaxation and crystallization in amorphous alloys, 275
 local atomic structural changes on structural relaxation in a $\text{Pd}_{82}\text{Si}_{18}$ amorphous alloy, 479
 reversible structural relaxation in Fe-B-Si amorphous alloys, 279
 the relaxation of internal stresses during annealing of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$, 341
- Structure
 formation of metastable phases by the plating method, 193
 structural study of $\text{Zr}_{33}\text{Y}_{27}\text{Al}_{15}\text{Ni}_{25}$ amorphous alloys by anomalous X-ray scattering (AXS), 444
- Structure modeling
 molecular dynamics applied to a reverse Monte Carlo configuration for amorphous $\text{Ni}_{81}\text{B}_{19}$, 438
- Structure properties
 structure and magnetic properties of pulse-plated Fe-P and Fe-Cu-P amorphous alloys, 906
- Subgrain cell network
 microstructure of rapidly solidified Al-7.5Cu-2.5Fe, 665
- Substitution
 effect of C, Al and Si additions on the magnetic properties of melt-spun Nd-Fe-B alloys, 1004
- Sulfidation
 new amorphous alloys resistant to high temperature corrosion, 1099
- Superconductors
 rapid quenching forming routes for superconducting oxide wire, 1431
- Supercooled liquid
 amorphous (Ti,Zr,Hf)-Ni-Cu ternary alloys with a wide supercooled liquid region, 1423
 diffusion of iron in $\text{Mg}_{60}\text{Ni}_{25}\text{Nd}_{15}$ amorphous alloys with a wide supercooled liquid region, 334
 evolution of medium-range order of $\text{Mg}_{0.5}\text{Ni}_{0.3}\text{La}_{0.2}$ metallic glass at a supercooled liquid temperature, 464
 mechanical strength and thermal stability of Ti-based amorphous alloys with large glass-forming ability, 692
 recent progress in amorphous metallic materials in Japan, 8
- Supercooled liquid quenching
 production of flaky Ti-based amorphous powder by a two-stage quenching technique and its thermal stability, 697
- Supercooled liquid region
 extremely wide supercooled liquid region and large glass-forming ability in $\text{Zr}_{65-x}\text{Al}_{7.5}\text{Cu}_{17.5}\text{Ni}_{10}\text{Be}_x$ amorphous alloys, 210
- Superheat
 microstructural variation in rapidly solidified ribbons of Ag-Cu and Cu-Mn alloys, 1320
- Superplasticity
 thermal stability in a superplastic $\text{Si}_3\text{N}_{4(p)}/\text{Al-Mg}$ composite, 625
 thermomechanical processing and superplastic behaviour in aluminium-based alloys produced from amorphous or nanocrystalline powders, 1068
- Supersaturated solid solution
 decomposition of the supersaturated solid solution in a rapidly solidified hypereutectic Al-Cu alloy, 327
 high specific strength of extruded Mg-Al-Ge alloys produced by rapid solidification processing, 632
- Surface
 distribution of elements in the surface layer of amorphous Al-La-Ni ribbons, 1249

- Surface crystallization
improvement of magnetic properties by addition of tin to amorphous Fe-Si-B alloys with high iron contents, 1351
method for suppressing surface crystallization in Fe-base amorphous alloy ribbons containing Al, 1346
- Surface roughness
effects of insulation and surface roughness on high frequency magnetic properties up to 10 MHz in thin amorphous ribbons, 884
- Surface segregation
method for suppressing surface crystallization in Fe-base amorphous alloy ribbons containing Al, 1346
- TEM characterization
transmission electron microscopy characterization of mechanically alloyed NiAl powder and hot-pressed product, 1169
- Ternary additions
amorphization in iron-carbon systems with transition metals by mechanical alloying, 1281
- Thermal analysis
differential thermal analysis of hydrogen-induced amorphization in C15 Laves compounds RCo_2 , 181
- Thermal dendrite
microstructural evolution in a rapidly solidified Al-4mass%Fe droplet, 1156
- Thermal expansion
spin fluctuation in amorphous Y-Ni alloys, 950
- Thermal expansion coefficient
torque sensor using amorphous magnetostrictive ribbons, 1378
- Thermal imaging
heat flow in spray-formed Al-4Cu, 72
- Thermal properties
thermal and magnetic properties of amorphous magnetic powders produced by comminution process, 986
- Thermal stability
new metastable phases in rapidly solidified Al-Zr and Al-Ti alloys with high solute contents, 1397
studies of Mg-Al-Pd icosahedral quasicrystals and approximant crystals synthesized by the mechanical alloying process, 828
thermal stability of nanocrystalline nickel electrodeposits: differential scanning calorimetry, transmission electron microscopy and magnetic studies, 531
- Thermal transport properties
towards applications of quasicrystals, 122
- Thermodynamic potential
electrocatalytic behavior of non-equilibrium b.c.c. nickel, 1145
- Thermodynamics
rapid solidification of Fe-Ni-Mo alloys, 587
thermodynamic and kinetic requirements for inverse melting, 31
vitrification close to the Kauzmann point of eutectic Au-Pb-Sb alloys, 77
- Thermoelectric power
electrical resistivity and thermoelectric power of $Fe_{91}Zr_9$, 1035
- Thermogravimetry
an investigation of magnetic properties of $Fe_{73.5}Cu_1Nb_{3.5}Si_{13.5}B_9$ alloys, 997
- Thermopower
indications of effects of photon-roton states on electronic transport, 916
temperature dependence of thermopower in non-magnetic metallic glasses, 926
- Thin alloy films
metastable phases synthesized by ion beams and thermodynamic interpretation in binary metal systems, 189
- Thin film
studies of crystallization of sputter-deposited $Fe_{82}Si_6B_{12}$ metallic glass film, 382
- Thin films
microstructural characterization of nanocomposite thin films of Ag-SiO₂, Ag-ZnO and Ag-Si, 545
- Ti base amorphous alloy
mechanical strength and thermal stability of Ti-based amorphous alloys with large glass-forming ability, 692
production of flaky Ti-based amorphous powder by a two-stage quenching technique and its thermal stability, 697
- Ti-Ni-Cu
crystallinity of rapidly solidified Ti-Ni-Cu alloy, 1317
- Ti-Si alloys
formation of amorphous Ti-Si powdered alloys and their shock consolidation, 220
- TiNi alloys
mechanical damping of rapidly quenched Ti-Ni-Cu alloys, 1076
microstructural development in rapidly solidified Ti-Ni alloys, 198
- Titanium
crystallization and thermal stability of amorphous Ti-B alloys, 366
- Titanium alloys
a study of the glass-forming range in the ternary Ti-Ni-Al system by mechanical alloying, 168
- Titanium aluminides
effects of thermomechanical processing on titanium aluminide strip cast by the melt overflow process, 645
nanostructured titanium aluminides, 108
- Titanium boride
crystallization and thermal stability of amorphous Ti-B alloys, 366
- TiZr
amorphization of Ti-Zr powders by mechanical alloying in H₂, N₂ and O₂ atmospheres, 1263
- Torque sensor
characteristics of an amorphous magnetic alloy layer prepared by laser quenching, and its application to a torque sensor, 1359
torque sensor using amorphous magnetostrictive ribbons, 1378
- Transition metals
magnetism of amorphous transition metals and alloys, 62
- Transport properties
an exact model of d.c. Joule heating in amorphous metallic ribbons, 361
electronic structure and transport properties in quasi-crystals, 118
- Tribological properties
towards applications of quasicrystals, 122
- TTT diagram
time-temperature-transformation diagram of a highly processable metallic glass, 173
- Tunneling
high electrical resistivity behaviour of Fe- and Co-based soft magnetic heterogeneous alloys, 897
- Two-stage crystallization
Zr-Y base amorphous alloys with two glass transitions and two supercooled liquid regions, 346
- Two-stage glass transition
Zr-Y base amorphous alloys with two glass transitions and two supercooled liquid regions, 346

- Two-stage quenching technique
 production of flaky Cu-based amorphous powders by a two-stage quenching technique, and their chemical and optical properties, 1383
 production of flaky Fe-based amorphous powders by a two-stage quenching technique and their magnetic properties, 1161
- Ultrafine alloy particle
 morphology and properties of ultrafine Ni-Fe and Ni-Co alloy particles prepared by leaching amorphous Al-Ni-Fe-Ce and Al-Ni-Co-Ce alloys, 1179
- Ultrasonic vibrations
 microstructural effects of ultrasonic vibrations applied during planar flow casting of steels, 1305
- Ultrathin amorphous alloy
 soft magnetic properties of ultrathin Fe-based amorphous alloy cores, 902
- Undercooled liquid
 crystallization of metallic glasses, 41
 time-temperature-transformation diagram of a highly processable metallic glass, 173
- Undercooled melts
 rapid solidification processing and microstructure formation, 46
- Undercooling
 analysis of solidification in the spray atomization process, 1195
 direct measurements of crystal growth velocities in undercooled melts, 147
 do electrons stabilize the metastable state of undercooled metallic melts?, 1055
 numerical simulation of cluster growth during the transient nucleation period, for nucleation temperature evaluation in melt spinning, 1326
 phase selection in undercooled melts of Al-Cu-Co and Al-Cu-Fe quasi-crystal-forming alloys, 766
 rapid dendritic and eutectic solidification of undercooled Co-Mo alloys, 1150
 rapid solidification of Fe-Ni-Mo alloys, 587
 solidification reactions in undercooled alloys, 52
- Valence band structure
 electronic structure and electron transport properties of amorphous Ca-Al-Ga and Ca-Mg-Ga alloys, 1047
- Van Vleck ion
 magnetic properties of metastable h.c.p. samarium, 864
- Vibrational density of states
 atomic packing geometries and lattice properties of a model decagonal phase, 833
- Vibratory ball mill
 mechanical alloying process of metal-B(M \equiv Ti,Zr) powder mixture, 1291
 phase evolution and formation process of compound during ball milling of Ti-Si powder mixtures, 1212
- Viscosity
 a comparison of the approach to equilibrium of the viscosity and diffusivity of Pd-Si-based amorphous metals, 265
 diffusivity and viscosity during structural relaxation in metallic glasses, 86
 formation and annihilation of defects governing flow and diffusion in amorphous metals, 81
 glass transition behaviour of Zr- and Ti-based binary amorphous alloys, 252
 temperature-dependent free energy of crystallization and viscosity of glassy materials, 186
 vitrification close to the Kauzmann point of eutectic Au-Pb-Sb alloys, 77
- Vogel-Fulcher law
 vitrification close to the Kauzmann point of eutectic Au-Pb-Sb alloys, 77
- Voronoi polyhedra analysis
 atomic packing geometries and lattice properties of a model decagonal phase, 833
 atomic structure analysis of NdFe and NdCo amorphous films, 448
- Warm extrusion
 consolidation and mechanical properties of atomized Mg-based amorphous powders, 112
 high specific strength of extruded Mg-Al-Ge alloys produced by rapid solidification processing, 632
 production of nanocrystalline b.c.c. Fe-Nb-B bulk alloys by warm extrusion and their magnetic properties, 511
- Watt loss
 production and magnetic properties of Fe-B-Si amorphous alloy ribbons: a review, 1435
- Weak localization theory
 electrical conductivity and Hall effect of Al-Cu-Ru and Al-Cu-Fe quasi-crystals, 794
- Wheel velocity
 microstructural variation in rapidly solidified ribbons of Ag-Cu and Cu-Mn alloys, 1320
- Wire sensor
 applications of amorphous wire, 66
- Work-hardening
 optimum chemical composition for high strength in Fe-Ni-Cr-Si-C wires produced by melt spinning into rotating water, 1340
- X-ray curve-fitting analysis
 the formation of nanostructured materials by consolidating ultrafine amorphous alloy particles prepared by chemical reduction, 577
- X-ray diffraction
 decagonal quasicrystal in rapidly solidified Al-Pd-Mn alloys, 815
- X-rays
 structure studies by X-ray and neutron diffraction: how accurate are they?, 17
- XPS
 amorphous Fe-valve metal-Pt group metal alloy catalysts for methanation of CO₂, 1133
- Y-Fe amorphous alloys
 thermal expansion anomaly in amorphous Y-Fe spin glasses, 954
- Y-Ni amorphous alloys
 spin fluctuation in amorphous Y-Ni alloys, 950
- YBCO
 high T_c YBa₂Cu₃O_{7- δ} superconductors made by the melt-quench growth process, 1051
- Young's modulus
 large magnetoelastic effects of amorphous Ce-Fe alloys, 958
- Zero magnetostriction
 magnetostriction and coercivity of Fe-Co-RE alloys prepared by a high rate sputtering method, 962
- Zinc electrowinning
 amorphous alloy electrodes for anodic oxidation of sulfite, 1081
- Zr-Ni
 atomistic computer simulation for liquid-glass transition in Zr-Ni alloy, 256

